



Product Data Sheet - Paints and Coatings

Industrial and Consumer Specialties

Nipacide BIT 20

Biocide for in-can preservation

Product Description

Nipacide BIT 20 is an in-can biocide based on BIT.

Nipacide BIT 20 is a glycol based solution; low toxicity biocide developed for the complete in-can protection of water based products. Nipacide BIT 20 is effective against a wide range of microorganisms including gram positive and gram negative bacteria, yeast and fungi.

Nipacide BIT 20 can be used over a wide pH and temperature range. Nipacide BIT 20 should be the biocide of choice for products with pH >8 and production temperatures of >40 C.

Benefits

- formaldehyde-free
- pH stable from 2-12
- temperature stable up to 100°C
- FDA approved for various applications
- bactericide
- fungicide

Technical data

Product class	Benzisothiazolinone (BIT)
Physical form	Solution
Active content (ca.)	20%
pH stability	2 - 12
Temperature stability	100°C
Recommended use level	0.1 - 0.25%

Regulations and approvals	FDA 21 CFR 175.105 Adhesives FDA 21 CFR 176.170 Components of paperboard in contact with aqueous and fatty foods FDA 21 CFR 176.180 Components of paper and paperboard in contact with dry food. BfR XIV Plastic dispersions BfR XXXVI Preservative for Paper and Board
----------------------------------	---

Application

Nipacide BIT 20 is recommended for preservation of a wide range of applications including:

- Water-based, casein, animal bone based and PVA adhesives
- Polymer emulsions including, SBR latex, Polyvinyl acetate and acrylic
- Water-based decorative paints
- Metal working fluids
- Calcium Carbonate and Kaolin mineral slurries
- Concrete add-mixtures

Safety & MSDS

Use biocides safely. Always read the label and product information before use.

www.clariant.com

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application.



Clariant International Ltd



* Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

* For sales to customers located within the United States and Canada the following applies in addition: No express or implied warranty is made of the merchantability, suitability, fitness for a particular purpose or otherwise of any product or service.

© Trademark of Clariant registered in many countries.

© 2013 Clariant International Ltd