

General Theory of Music by Icosahedron 1: A bridge between “artificial” scales and “natural” scales

Yusuke Imai¹Sid C. Dellby²Nobuaki Tanaka³¹Department of Physics, Nagoya University, Furo-cho, Chikusa-ku, Nagoya, Aichi 466-0804, Japan²Nippon Chemi-Con, Materials Development Department, 363 Arakawa, Takahagi, Ibaraki 318-8505, Japan³Hochschule für Musik Würzburg, Hofstaßstraße 6-8, 97070 Würzburg, Germany

March 19, 2021

CONTACT: 93imaiyusuke@gmail.com

Abstract

We create a systematic theory that derives “natural” scales (Gregorian modes, major/minor scales, hexatonic major/minor scales) from “artificial” scales (chromatic scale and whole tone scales) by using a new concept, musical icosahedra. We found that there exist four musical icosahedra that characterize the topology of the chromatic scale and one of the whole tone scales. These musical icosahedra lead to major/minor triads and the fundamental triads for hexatonic major/minor scales with golden triangles, a duality between major scales and minor scales and a duality between major/minor scales and the Gregorian modes. Lastly, we propose generalizations of major/minor triads and scales by using the symmetry of icosahedra.

1 Introduction

The regular icosahedron¹ is one of the Platonic solids that has 12 vertices. Platonic solids are a set of solids that are composed of one kind of the regular polygons and satisfy the convexity condition and the uniform condition. The name of Platonic solids originates from the story that Plato told that each of the classical four elements (fire, air, earth, water) is made of each of four Platonic solids (tetrahedron, octahedron, cube, icosahedron)² in Timaeus (Archer-Hind, 1888, 190). In the reference of Cromwell (Cromwell, 1999), many historical works that include some polyhedra, such as pyramids at Giza in Egypt (square pyramid), the Sacrament of the Last Supper by Salvator Dali (the regular dodecahedron), the concept of “bit” in the movie, Tron (octahedron and icosahedron), Shugakuin Imperial Villa in Kyoto (cuboctahedron) are shown. On the website, Polyhedron club, Temari balls, traditional Japanese toys, on which polyhedra on a sphere are painted, are shown (Fig. 1). After Plato pointed out the importance of the Platonic solids, many ways of extension of the concept of the Platonic solids have been proposed. Archimedes proposed 13 solids that consist of polygons of many kinds and satisfy the convexity condition (Cromwell, 1999). A figure of a soccer ball is a typical example of the Archimedean solids (Fig. 2(a)). Kepler tried to explain orbits of planets in the solar system by using the Platonic solids (Kepler withdrew this idea later and found the famous Kepler’s law (Kepler, 2009)), and found two Kepler-Poinsot polyhedra that are stellations (extension of edges or faces of a polyhedron) of the dodecahedron and the icosahedron in 1619, and Poinsot found two other Kepler-Poinsot polyhedra in 1809 (Coxeter & Rouse Ball, 2010, 144-146). Cauchy proved there are no Kepler-Poinsot polyhedra other than the above four Kepler-Poinsot polyhedra (Coxeter & Rouse Ball, 2010, 144-146). Figure 2(b) shows one of the stellating polyhedra, the stellated octahedron. Recently, Schein and Gayed proposed the fourth type of polyhedra, Goldberg polyhedra that are equilateral and planar but not equiangular, and are composed of the regular triangles, rectangles, or pentagons, and hexagonal faces that are equilateral but not equiangular (see Fig. 2(c), Schein & Gayed, 2014, 2920-2925). These studies may have been driven by a simple question, “What is a beautiful figure?”.

¹We will omit “regular” in this paper to escape complexity.²As for the dodecahedron, Plato said that “God used it as a pattern for dividing the zodiac into its twelve signs” (Archer-Hind, 1888, 190).



Figure 1: Temari balls on which polyhedra on a sphere are painted (Polyhedron Club, 2019a).




Figure 2: (a) Globe on a soccer-ball solid (Jaxa, 2019), (b) A folded paper of stellated octahedron (Polyhedron Club, 2019b) (c) One of the Goldberg polyhedra (Schein, 2014).

The number 12 is not only the number of vertices of an icosahedron, but also the number that divides an octave in European music. The development of European music is closely linked to the use of diatonic scales. From the early Middle Ages to the beginning of the Baroque period, music was conventionally built on the Gregorian modes. The development of polyphony, especially the various uses of consonance in the early Renaissance, provided an opportunity to discuss scales³ in the context of chords and harmony. By the end of the 17th century, the commonly used musical scales among compositions were integrated into two types⁴, namely the major and minor scales, which construct major and minor triads⁶ on each first tone.

In today's music, the major-minor tonality is still popular, but the composers in the late romantic period tried to deviate from the conventional tonal system. The music of that period certainly included the use of the Gregorian modes, but on the other hand it also aimed to deviate from the diatonic sound systems, namely through the use of the whole tone scale and the chromatic scale. It is possible to perceive some chromatic compositions in the earlier period, but their tonality was always diatonic, so the use of chromaticism has remained partial⁷. In the compositional attempts based on the non-diatonic scales one can see the consciousness of the late romantic and modern generation that the musical settings with the major-minor sound system would soon reach the limit, because "major and minor in the context of functional harmony since about 1850 get into a final stage" (Benary, 1995, 1596). For example, there are some compositions after the late Romantic period that deliberately used the whole tone scale.⁸ Doubts on diatonic settings of the generation were further proved by the attempt on using the chromatic scale, especially the twelve-tone technique of the Viennese school. From a music-historical point of view, the practice of un-diatonic settings can be understood thus as "artificial", that apparently tried to deviate from the commonly used diatonic scales.

Geometrical consideration on scales, however, indicates the opposite view; from the un-diatonic, "artificial" scales one can derive the diatonic, "natural" scales. In this process of proof, the icosahedron is assumed as a model

³We define "a scale" as an ordered list of any tones in this paper.

⁴The ionic and aeolian modes can be referred as major and minor scales in the modern sense. These Gregorian modes were added by Heinrich Glarean (1488-1563) to the conventional Gregorian modes, but they were in fact not differed from the transposed⁵ doric and Lydian church modes (Benary, 1995, 1594) in which B was conceived as B \flat , due to the practice of *musica ficta*.

⁶We define "a triad" as an ordered list of three tones in this paper.

⁷e.g. some compositions by Carlo Gesualdo (1566-1613) and Johann Sebastian Bach (1685-1750). See also note examples 1 and 2.

⁸e.g. *Voiles* by Claude Debussy (The second part of his 24 *Préludes*). See also note example 3.

for consideration. Since the age of antiquity, music has been widely discussed in the context of mathematics, but the icosahedron, which has twelve vertices and should therefore be appropriate for musical consideration, has been neglected in the field of music theory.




Figure 3: Example 1: The beginning of the madrigal *Se la mia morte bra mi* by Carlo Gesualdo (The first piece of his sixth madrigal book. The collection was published in 1611).




Figure 4: Example 2: The theme of *Musical Offering* by Johann Sebastian Bach (BWV 1079, composed in 1747).



Figure 5: Example 3: The beginning of Claude Debussy's *Voiles* (composed ca. 1910). Here dynamics and articulations are omitted.

Our idea is simple. We attach 12 tones ($C, C\sharp, D, E\flat, E, F, F\sharp, G, G\sharp, A, B\flat, B$) to the vertices of the icosahedron as shown in Fig. 6. We call this “musical icosahedron”. In the main text, we show how the musical icosahedron links various musical concepts with some beauty and without relying on any discussion of auditory frequencies. Concretely, we show the chromatic scale and the whole tone scales lead four types of musical icosahedra. By using these four musical icosahedra, one can show the uniqueness of the major/minor triads and the fundamental triads for the hexatonic major/minor scales by using golden triangles, and dualities between the major triads/scales and minor triads/scales, as well as between the major/minor scales and the Gregorian modes. Also, symmetry transformations of the icosahedron naturally lead to the generalization of the major/minor triads and scales. These discoveries may open the doors to completely new ways of composition, analysis, visualization of music.

This paper is organized as follows. In Part II, we review properties of the icosahedron: symmetry and golden triangle. In part III, we introduce the concept of a musical icosahedron and show links among various musical concepts. In Appendix, we list all the scales we deal with in this paper. Because we would like to make this paper accessible to a variety of readers, we review musically well-known concepts in a simplified way for those who are not familiar with music and do not use mathematical-set-theory for those who are not familiar with mathematics (also for avoiding the confusion caused by the fact that the “set” in music theory is different from the “set” in mathematics).

This paper may be regarded as the fourth part of the following stories of strange connections among polyhedra, music, and astronomy; (i) Plato said that the four Platonic solids each make up one of the four classical elements, (ii) Plato paired astronomy (visual art) and scale (auditory art), (iii) Kepler tried to explain the orbits of planets in the solar system by using Platonic solids in the beginning, and then, he derived the famous Kepler’s law stimulated by music of the spheres, (iv) We found that the Platonic solids link various musical concepts.

Figure 7 shows the summary of our study.




Figure 6: Examples of musical icosahedra.




Figure 7: Summary of our study.




Figure 8: Five-fold rotation and mirror plane.

2 Regular Icosahedron

In this section, we review properties of the icosahedron with a focus on symmetry and golden triangle. First, we list all the 120 symmetric transformations of the icosahedron.

- (i) One of the five-fold rotations is given in Fig. 8.
- (ii) One of the mirror reflections is given in Fig. 8.

The above two transformations fix the top vertex (and the bottom vertex). One can obtain all the transformations if considering transformations that do not fix the top vertex. In fact, the number of transformations that can be made by the above two transformations is 10, and the number of vertices is 12. Those transformations involve the five-fold rotation and (iii) a two-fold rotation and (iv) a three-fold rotation as shown in Fig. 9. By the three-fold rotation, one can move the two vertices to the top, and by the three-fold rotation after the two-fold rotation, the three vertices are moved to the top. By three-fold rotation after one time, three times, or four times of the five-fold rotation, the three vertices are moved to the top, and by the three-fold rotation after two-fold rotation after one time, two times, or four times of the five-fold rotation, the three vertices are moved to the top. Then, we moved all the vertices to the top.

Then, we can list all the symmetric transformations of the icosahedron. By defining E as the elementary transformation, C_5 as the five-fold rotation, M as the mirror reflection, C_3 as the three-fold rotation, C_2 as the two-fold rotation, one can represent those 120 transformations as follows.

$$\{Y, M * Y\}, \quad (1)$$

where

$$\begin{aligned} Y = & (X, C_3 * X, C_3^2 * X, C_2 * X, C_2 * C_3 * X, C_2 * C_3^2 * X, \\ & C_5 * C_3 * X, C_5^3 * C_3 * X, C_5^4 * C_3 * X, C_5 * C_3 * C_2 * X, C_5^2 * C_3 * C_2 * X, \\ & C_5^4 * C_3 * C_2 * X), \end{aligned} \quad (2)$$

$$X = (E, C_5, C_5^2, C_5^3, C_5^4). \quad (3)$$

Then, we also remark that there are 60 golden triangles in the icosahedron. The golden triangle (Fig. 10) is an isosceles triangle with two long edges and one short edge that satisfy the condition that the ratio of length of the long edge and the short edge is given by the golden ratio⁹. Figure 11 shows a golden triangle obtained by linking three vertices of the icosahedron.

⁹The golden ratio appears in many things, e.g., seed heads, shells, aloe plants, *Mona Lisa* (Leonardo da Vinci), *David* (Michelangelo), *The School of Athens* (Raphael), DNA, planets orbits, and black holes (Meisner, Araujo, 2018). This paper add a new example that has beauty of golden ratio to the list: the major/minor triad.




Figure 9: Three-fold rotation and two-fold rotation.




Figure 10: A golden triangle.




Figure 11: A golden triangle obtained by linking three vertices of the icosahedron.

3 Musical Icosahedron

3.1 Definition

In this subsection, we introduce a new concept, *a musical icosahedron*. A musical icosahedron is the icosahedron each of whose vertices have one of the 12 tones, $C, C\sharp, D, E\flat, E, F, F\sharp, G, G\sharp, A, B\flat, B$ without duplication (Fig. 6). There exist $12! = 479001600$ musical icosahedra. Therefore, this concept is useless unless one finds meaningful subsets of musical icosahedra. In the next section, we will find them by using topology of the chromatic scale and the whole tone scales.

In addition, identification of two musical icosahedra that can be transformed into one another by a symmetry transformation of the icosahedron is a way to impose a restriction on the set of musical icosahedra¹⁰. In this paper, we sometimes use this identification and we call this “musical isomorphism”.

Also, one can consider scales on a musical icosahedron by connecting neighboring tones in a given scale on the musical icosahedron¹¹. In this paper, we deal with the major/minor scales and the Gregorian modes by this method.

Using other polyhedra may also be a fascinating approach to dealing with scales. For example, four Archimedean solids have 24 vertices and these are useful in dealing with the microtone found in the Arabic Maqam or enharmonic tetrachords.

Although we propose some ways to construct scales or find relations among various scales by using some musical icosahedra in this paper, they are not the only ways to use musical icosahedra, and there may be more meaningful ways to use musical icosahedra.

3.2 Neighboring Condition

In this subsection, we introduce “neighboring condition” to restrict the number of musical icosahedra. For convenience, we set the following algebra for 12 tones: $X + n$ is a tone higher than X by n semitones for any integer n under the condition $X + 12m = X$ for any integer m . We define the neighboring condition as follows.

[neighboring condition]

If X is a neighboring tone of Y in a given scale, the vertex corresponding to X must be a neighborhood of the vertex corresponding to Y on a given musical icosahedron (The vertex A is a “neighborhood” of B if A is linked to B). Mathematically, this condition is equivalent to the “continuous” condition for a map from the icosahedron graph to subgraphs of the 12-complete graph naturally corresponding to the algebra of a given scale.

For example, the musical icosahedron shown in Fig. 12 satisfies the neighboring condition for C -major scale (Appendix A.1 (1)).

First, we tried to find a musical icosahedron that satisfies the neighboring condition for all the major or minor scales. However, we found this to be impossible by the following lemma.

[Prohibition lemma]

For any tone X , no musical icosahedra can satisfy the neighboring condition for scales A_1, \dots, A_n if for some integer k s.t. $1 \leq k \leq n$, $X + 1$ is a neighboring tone of X in A_k and for some integer k' s.t. $1 \leq k' \leq n$, $X - 1$ is a neighboring tone of X in $A_{k'}$ and for some integer k'' s.t. $1 \leq k'' \leq n$, $X + 2$ is a neighboring tone of X in $A_{k''}$ and for some integer k''' s.t. $1 \leq k''' \leq n$, $X - 2$ is a neighboring tone of X in $A_{k'''}$.

This lemma can be proved simply (Fig. 13). First, set a tone X on the top. Then, $X - 1$, $X - 2$, $X + 1$, $X + 2$ must be set on the pentagon just below the top and $X - 1$ must be linked with $X + 1$, $X - 2$, and $X - 2$ must be linked with $X - 1$, $X + 1$ must be linked with $X + 2$, $X - 1$, and $X + 2$ must be linked with $X + 1$. Although there are many arrangements satisfying the condition, one can choose the arrangement in the figure (Fig. 13) without loss of generality. Then, a position of $X + 3$ ($X - 3$) is uniquely determined by the position of $X + 1$ ($X - 1$) and $X + 2$ ($X - 2$). In addition, a position of $X + 4$ ($X - 4$) is uniquely determined by the position of $X + 2$ ($X - 2$) and $X + 3$ ($X - 3$). Then, a position of $X + 5$ ($X - 5$) is uniquely determined by the position of $X + 3$ ($X - 3$) and $X + 4$ ($X - 4$), and the position of $X + 5$ is the same as the position of $X - 5$. However, $X - 5$ is not equal to $X + 5$ because we deal with the 12-tone-system.

¹⁰Musical icosahedra should be transformed while retaining the connections

¹¹We also use symmetry transformations of the icosahedron naturally for a figure representing a scale on the musical icosahedron.




Figure 12: An example of a musical icosahedron that satisfies the neighboring condition for C -major scale.




Figure 13: Proof of the prohibition lemma.

In order that a musical icosahedron satisfies the neighboring condition for all the major or minor scales, the musical icosahedron must satisfy the assumption of the lemma, i.e. for any X , $X + 1$, $X + 2$, $X - 1$, and $X - 2$ are a neighborhood of X . For example, C must be a neighborhood of B , D because one of them is a neighborhood of the others in C -major, and C must be a neighborhood of $B\flat$, $C\sharp$ because one of them is a neighborhood of the others in $G\sharp$ -major. Then, there are no musical icosahedra that satisfy the neighboring condition for all the major/minor scales.

We found that there exist four musical icosahedra that can satisfy the neighboring condition for the chromatic scale, and one of the whole tone scales up to the musical isomorphism (the chromatic scale and whole tone scales are defined in Appendix A.8). We named them “chromatic/whole tone musical icosahedra” (Fig. 14). Considering the number of musical icosahedra is around 4 million up to the musical isomorphism, it is surprising that there are only four chromatic/whole tone musical icosahedra. Note that there are no musical icosahedra that can satisfy the neighboring condition for the chromatic scale and the two whole tone scales because of the prohibition lemma.

First, one can prove that there exist only two musical icosahedra satisfying the neighboring condition for the chromatic scale and the whole tone scale including C , noting that all the elements of each of the following triplets, C , $C\sharp$, D , and D , $E\flat$, E , and E , F , $F\sharp$, and $F\sharp$, G , and $G\sharp$, and $G\sharp$, A , $B\flat$, and $B\flat$, B , C , must be linked with each other (Each triplet begin with a tone of the whole tone scale including C).

Similarly, one can prove that there exist only two musical icosahedra satisfying the neighboring condition for the chromatic scale and the whole tone scale including $C\sharp$.

Last, we analyze mathematical structure of transformations that change types of the chromatic/whole tone musical icosahedra. We define Y_{nm} as a transformation from the type n to m . $Y_{13(24)}$ raise all the tones in the type 1 (type 2) by one semitone, and $Y_{31(42)}$ is the inverse transformation of $Y_{13(24)}$. Because $Y_{13(24)}^2$ is a symmetry transformation of the icosahedron (in other words, $Y_{13(24)}$ is a “root” of a symmetry transformation of the icosahedron that is not a symmetry transformation), if one adds Y_{13} , Y_{31} , Y_{24} , Y_{42} to the symmetry transformations of the icosahedron, the resulting set keepng the group structure. One may consider the resulting set as the “spin” group with respect to $A_5 \times Z_2$ ¹². In other words, the type 1 (the type 4) chromatic/whole tone musical icosahedron can be considered as the spin up (down) chromatic/whole tone musical icosahedron.

On the other hand, if one adds Y_{12} , Y_{21} , Y_{34} , Y_{43} to symmetry transformations of the icosahedron, the resulting set does not keep the group structure. This is because acting Y_{12} twice to the type 1 makes a musical icosahedron that does not satisfy the neighboring condition for the chromatic scale and one of the whole tone scales. Note that Y_{12} is a six-fold rotation for the inner hexagon in the projection of the type 1 onto the paper. Analyzing the mathematical structure of Y_{mn} may be an interesting topic in mathematics.

3.3 Fundamental properties of Chromatic/Whole Tone Musical Icosahedra

Chromatic/whole tone musical icosahedra have many beautiful properties. First, let us see the properties common to all the four types.

- (i) Any two tones that make tritones are set on the vertices facing each other.
- (ii) One of the whole tone scales is set on the outer hexagon, and the other is set on the inner hexagon.

One can easily check (i) (Fig. 15) and (ii) (Fig. 14). The property (i) leads to the following strange correspondence. All the Messiaen’s modes of limited transposition constructed by four tones are set on the golden rectangle¹³ (C , $E\flat$, $F\sharp$, A (that can be transposed in 3 ways), or C , $C\sharp$, $F\sharp$, G (that can be transposed in 6 ways), or C , D , $F\sharp$, $G\sharp$ (that can be transposed in 6 ways), or the modes obtained by raising the above three modes by some semitones).

Then, we see properties common to the type 1 and the type 2.

- (iii) The whole tone scale including C is set on the outer hexagon, and the whole tone scale including $C\sharp$ is set on the inner hexagon.

- (iv) X , $X + 1$, $X + 2$ (X is C , D , E , $F\sharp$, $G\sharp$, or $B\flat$ that are tones constituting the whole tone scale including C) are set on a triangle made by edges of the icosahedron.

¹²Spin is one of the fundamental properties of the electron in quantum physics, and usually discussed as a double-cover of $SO(n)$.

¹³A golden rectangle is a rectangle that satisfies the condition that ratio between length of the long edge and the short edge is given by the golden ratio.




Figure 14: Four types of chromatic/whole tone musical icosahedra. The red lines show the chromatic scale and the green lines show one of the whole tone scales.




Figure 15: Tritones in the type 1 chromatic/whole tone musical icosahedron.

Next, we see properties common to the type 3 and the type 4. These properties are a kind of dual of the properties common to the type 1 and the type 2.

(v) The whole tone scale including $C\sharp$ is set on the outer hexagon, and the whole tone scale including C is set on the inner hexagon.

(vi) $X, X + 1, X + 2$ (X is $C\sharp, Eb, F, G, A$, or B that are tones constituting the whole tone scale including $C\sharp$) are set on a triangle made by edges of the icosahedron.

Then, we see properties common to the type 1 and the type 4.

(vii) The figure made by red lines (Fig. 14)

(vii) is natural because the type 4 is obtained by raising all the tones of the type 1 by one semitone.

Next, we see properties common to the type 2 and the type 3. These properties are a kind of dual of the properties common to the type 1 and the type 4.

(viii) The figure made by red lines (Fig. 14)

(viii) is also natural because the type 3 is obtained by raising all tones of the type 2 by one semitone.

3.4 Major/Minor Triad and Golden Triangle

Then, we move on to the main point of this section; arrangement of the major/minor triads on the four types of chromatic/whole tone musical icosahedra. We discovered the following beautiful theorem.

[Golden theorem]

In the type 1 and the type 4, the major triads are set on the golden triangles,

In the type 2 and the type 3, the minor triads are set on the golden triangles.

Figure 16 shows the 12 golden triangles corresponding to the major triads in the type 1 of the chromatic/whole tone musical icosahedra. Similarly, one can check that the type 4 also includes the 12 golden triangles corresponding to the major triads, and the type 2 and the type 3 includes 12 golden triangles corresponding to the minor triads (Fig. 14).

We remark that this discussion does not involve frequency of tones but uses only the golden triangles in the icosahedron and topology of the artificial scales (the chromatic scale and the whole tone scale) on musical icosahedra




Figure 16: The golden triangles corresponding to the major triads in the type 1 of the chromatic/whole tone musical icosahedra.

through the neighboring condition. Also, the duality between the type 1 (the type 4) and the type 2 (the type 3) is none other than the duality between the major triad and the minor triad, i.e., we derived the duality between the major (bright) triad and the minor (dark) triad mathematically.

Note that the number of golden triangles in the icosahedron is 60. Therefore, one can generalize major/minor triads (We discuss this point later). Also, one can uniquely determine the major/minor triads because all the major (minor) triads are set on the golden triangles on the type 1 and the type 4 (the type 2 and the type 3). If one transposes the other triads corresponding to the golden triangle, some of the resulting triads are not set on the golden triangle, e.g., $CGG\sharp$ is set on the golden triangle in the type 1 and $C\sharp G\sharp A$ is not set on the golden triangle in the type 1.

[Uniqueness of Major/Minor Triads]

For any tone X , triads $X, X + n, X + m$ ($m > n$) are set on the golden triangles in the type 1 and the type 4 [the type 2 and the type 3] under the condition that the apex of the golden triangles corresponding to $X, X + n, X + m$ is set on the outer hexagon, if and only if $n = 4, m = 7$ [$n = 3, m = 7$].

Replacing the condition “the apex of the golden triangle corresponding to $X, X + n, X + m$ is set on the outer hexagon” by the condition “the apex of the golden triangle corresponding to $X, X + n, X + m$ is set on the inner hexagon”, one has the following triads uniquely: $X, X + 7, X + 10$ by the type 1 and the type 4, $X, X + 7, X + 9$ by the type 2 and the type 3. The former/latter triads should be regarded as dual triads of the major/minor triads. Note that these triads can be obtained by replacing the middle tone of the major/minor triads by its tritone.

We found $X, X + 7, X + 10$ ($X, X + 7, X + 9$) is the fundamental triads for the hexatonic minor/major scale. Recall that the major/minor scale is obtained by combining three major/minor triads, e.g., C, E, G (C -major triad), and G, B, D (G -major triad), and F, A, C (F -major triad) make C, D, E, F, G, A, B, C (C -major scale), $C, E\flat, G$ (C -minor triad), and $G, B\flat, D$ (G -minor triad), and $F, A\flat, C$ (F -minor triad) make $C, D, E\flat, F, G, A\flat, B\flat, C$ (C -minor scale). By combining $C, G, B\flat$ (the fundamental hexatonic minor triad whose base tone is C), and G, D, F (the fundamental hexatonic minor triad whose base tone is G), and $F, C, E\flat$ (the fundamental hexatonic minor triad whose base tone is F), one has $C, D, E\flat, F, G, B\flat$ that is nothing but the hexatonic minor scale whose base tone is C . Also, by combining C, G, A (the fundamental hexatonic major triad whose base tone is C), and G, D, E (the fundamental hexatonic major triad whose base tone is G), and F, C, D (the fundamental hexatonic major triad whose base tone is F), one has C, D, E, F, G, A that is the hexatonic major scale whose base tone is C . By combining $C, G, B\flat$ and $F, C, E\flat$, one has $C, E\flat, F, G, B\flat$ that is the pentatonic minor scale whose base tone is C . By combining C, G, A and G, D, E , one has C, D, E, G, A that is the pentatonic major scale whose base tone is C .

Note that this derivation of the pentatonic major/minor scales may be arbitrary because there may be no reasons why we choose $C, G, B\flat$ (C, G, A) and $F, C, E\flat$ (G, D, E), and do not choose $C, G, B\flat$ (C, G, A), and G, D, F (F, C, D). The latter combination makes a scale, $C D, F, G, B\flat$ ($C D, F, G, A$). Although these pentatonic scales and the major/minor pentatonic scales correspond to four of the Chinese musical scales (*Gong, Shang, Zhi, Yu*), we cannot list all the five Chinese scales (*Gong, Shang, Jue, Zhi, Yu*). The remarkable point is that *Jue* is given by $C, E\flat, F, A\flat, B\flat$ and does not include G (Shi C. Y. 2002). One may create a new theory that deals with these scales and/or Japanese pentatonic scales, etc. by using musical icosahedra.

3.5 Dualities between Major Scales and Minor Scales

We found the following general theorem.

[Hexagon – Icosahedron Symmetry]¹⁴

Raising all the tones of the type n chromatic/whole tone musical icosahedron by any number of whole tones is equivalent to a symmetry transformation of the icosahedron.

By using the above theorem, one can show that for a figure of C_X^n representing any scales X in the type n chromatic/whole tone musical icosahedron, the figure of C_X^n obtained by raising all the tones of X by some whole tones is the same as the figure of C_X^n , and one of those figures can be superposed on the other figure by a symmetry transformation of the icosahedron if the other figure is fixed. If one draws the X -major/minor scale on the type n chromatic/whole tone musical icosahedron and fix the figure, one can superpose the figure of the $X + 2$ -, $X + 4$ -, $X + 6$ -, $X + 8$ -, $X + 10$ -major/minor scale to the figure of the X -major/minor scale by a symmetry transformation.

¹⁴The regular hexagon represents the whole tone scales in a musical icosahedron that satisfies the neighboring condition for the chromatic scale.




Figure 17: The D -major, E -major, $F\sharp$ -major, $G\sharp$ -major, $B\flat$ -major scales are obtained by some of the symmetry transformations.

Also, one can obtain the $X + 1$ -, $X + 3$ -, $X + 5$ -, $X + 7$ -, $X + 9$ -, $X + 11$ -major/minor scale by transforming a figure representing the X -, $X + 2$ -, $X + 4$ -, $X + 6$ -, $X + 8$ -, $X + 10$ -major/minor scales in the type 1, the type 2, the type 3, the type 4 from the type 1, the type 2, the type 3, the type 4 to the type 4, the type 3, the type 2, the type 1.

For example, the C -major scale is transformed to the D -major, E -major, $F\sharp$ -major, $G\sharp$ -major, $B\flat$ -major scales by using a symmetry transformation of the icosahedron as shown in Fig. 17.

In addition, C -major is transformed to $C\sharp$ -major by the type change from the type 1 to the type 4, and $C\sharp$ -major scale is transformed to $E\flat$ -major, F -major, G -major, A -major, and B -major scales by using a symmetry transformation of the icosahedron as shown in Fig. 18.

Furthermore, X -major/minor on the type 1 (the type 2) is obtained by $A_{3(4)}C_2A_{1(2)}^{-1}$ to X -minor/major on the type 3 (the type 4) where A_n is the symmetry transformation that changes C -major/minor to X -major/minor in the type n . Figure 19 shows the transformation from C -major on the type 1 to C -minor on the type 3. This shows the duality between the major (bright) scales and the minor (dark) scales.

3.6 Duality between Gregorian modes and Major/Minor Scales

One may perceive that this theory is not beautiful because transposition of the major scales is not closed in one type of chromatic/whole tone musical icosahedra, and the figure of C -major is not the same as $C\sharp$ -major on the type 1. However, C -major on the type 1 is similar to the $C\sharp$ -major on the type 1, and this slight difference is nothing but the slight difference between the major/minor scales and the Gregorian modes. That is to say, the fact that there exist four chromatic/whole tone musical icosahedra indicates not only the duality between the major triads/scales and minor triads/scales, but also the duality between the major/minor scales and the Gregorian modes, by lack of beauty with respect to the transposition of the major/minor scales. We found that all the Gregorian modes can be obtained by using the spatial inversion¹⁵ for all the major scales and minor scales in the type 1 and the type 4 (or the type 2 and the type 3) of chromatic/whole tone musical icosahedra. If one chooses the type 1, then, one has $C\sharp$ -Myxolydian, C -Lydian, $C\sharp$ -Phrygian, and C -Dorian by the spatial inversion to C -major, $C\sharp$ -major, C -minor, and $C\sharp$ -minor (Fig. 20). Note that the spatial inversion is one of the most elementary operations in mathematics or physics, e.g. the electric field changes its sign by the spatial inversion while the magnetic field does not change its sign by the spatial inversion.

¹⁵The spatial inversion for a scale X transforms all the edges a constructing X to the edge facing to a .




Figure 18: The C^\sharp -major is obtained by the type change of C -major from the type 1 to the type 4, and Eb -major, F -major, G -major, A -major, and B -major scales are obtained by some of the symmetry transformations of the icosahedron for C^\sharp -major.




Figure 19: The C -minor scale is obtained by transforming C -major from the type 1 to the type 3 and applying the two-fold rotation.




Figure 20: An example of the correspondence between the major/minor scales and the Gregorian modes.

[Duality between Major/Minor Scales and Gregorian Modes]

All the Gregorian modes can be obtained by acting the spatial inversion to all the major/minor scales in the type 1 and the type 4 (or the type 2 and the type 3) of the chromatic/whole tone musical icosahedra.

3.7 Generalization of Major/Minor Triads and Scales

As said before, the golden triangles in the chromatic/whole tone musical icosahedra not only correspond to the major/minor triads but also other triads. By using this fact, one can generalize major/minor triad in two ways. Note that there are two types of the golden triangles in the icosahedron. One is a set of the golden triangles whose apex is included in the outer hexagon. The other is a set of the golden triangles whose apex is included in the inner hexagon. Then, the first generalization of the major/minor triads is obtained by considering the former case. The second generalization is obtained by considering all the golden triangles.

Now, we list all the triads included in the first generalization of the major triads (Fig. 21).

$$CEG, CGG\sharp, CG\sharp A, CFA, CEF,$$

and triads obtained by raising all the tones of each of the above triads by n semitones ($1 \leq n \leq 12$).

The first triad is a usual major triad (CEG), the second triad is a major seventh without the fifth ($G\sharp C(E)G$), the third triad is a minor/major seventh without the fifth ($AC(E)G\sharp$), the fourth triad is a usual major triad (FAC), the fifth triad is a major seventh without the third ($F(A)CE$). Next, we explain the second generalization.

$$CEG, CGG\sharp, CG\sharp A, CFA, CEF, CDE\flat, CE\flat F, CFG, CGB\flat, CDB\flat,$$

and triads obtained by raising all the tones of each of the above triads by n semitones ($1 \leq n \leq 12$).




Figure 21: The first generalization of C -major triad and the corresponding golden triangles.

The sixth triad is a minor ninth without the fifth ($CE\flat GD$), the seventh triad is a major/minor seventh without the third ($F(A)CE\flat$), the eighth triad is $Csus4$, the ninth triad is a major/minor seventh without the triad ($C(E)GB\flat$), the tenth triad is an added-ninth without the third and the fifth ($C(EG)B\flat D$).

Similarly, one has the following first and second generalizations of the minor triad.

$CE\flat G$, $CGG\sharp$, $CFG\sharp$, CEF , $CE\flat E$

and triads obtained by raising all the tones of each of the above triads by n semitones ($1 \leq n \leq 12$).

$CE\flat G$, $CGG\sharp$, $CFG\sharp$, CEF , $CE\flat E$, CDF , CFG , CGA , $CAB\flat$, $CDB\flat$

and triads obtained by raising all the tones of each of the above triads by n semitones ($1 \leq n \leq 12$).

The first triad is a usual minor triad, and the third triad is a usual minor triad, the fifth triad is an augmented ninth without the fifth ($CE(G)E\flat$), the sixth triad is $F6$ without the third ($F(A)CD$), the eighth triad is $C6$ without the third ($C(E)GA$), the ninth triad is a minor ninth without the fifth ($AC(E)B\flat$). We remark that $CGG\sharp$ and CEF are common to the first generalization of the minor triads, and the major triads, CFG , and $CDB\flat$ are common to the second generalization of the minor triads and the major triads.

Next, we generalize the major scale. By using the five-fold rotation (C_5) and the mirror transformation (M), one obtains the first generalization of the major scales (see Fig. 22 and Appendix A.8). The generalization has two meanings. The first meaning is a generalization of the major scales in terms of symmetry transformation of the icosahedron. Because we obtained the major scales by using a part of symmetry transformations of the icosahedron ($C_2 * M$ and C_3), to use C_5 is a simple generalization of the major scales. The second meaning is the correspondence between the generalization of the major triad and the generalization of the major scale. First, note that the major scales are each composed of three major triads, e.g., C -major is composed of CEG (tonic), FAC (sub-dominant), GBD (dominant). The generalizations of the major scales are also composed of two or three kinds of three generalized major triads each. Note that although a usual major scale is composed of only one kind of major triad¹⁶, the generalized major scales need two kinds or three kinds of generalized major triads.

Similarly, one can generalize the minor scales (see Fig. 23 and Appendix A.9).

By using the transformation that moves C to the top in the type 4 chromatic/whole tone musical icosahedron and doing a similar procedure as before, one has the second generalization of the major scales (see Fig. 24 and Appendix A.10).

One also obtains the second generalization of the minor scales as follows (see Fig. 25 and Appendix A.11).

By drawing the chromatic scale on the left-top figure in Fig. 22, 24, (Fig. 23, 25) and the same figure on the other figures in Fig. 22, 24, (Fig. 23, 25), one has the generalized chromatic scales. By extracting the first tone (C), the third tone, the fifth tone (the fourth tone), the sixth tone, the eighth tone, the tenth tone (the ninth tone), and the twelfth (the eleventh) tone in each generalized chromatic scale, one has the generalized major (minor) scales whose base tone is C ¹⁷.

One can also obtain the generalization of the Gregorian modes, hexatonic major/minor scales, pentatonic major/minor scales, and any other scales in the same way.

¹⁶ GBD and FAC is obtained by transposing CEG .

¹⁷Note that a usual major scale is also constructed in the same way.




Figure 22: The first generalization of the major scales.




Figure 23: The first generalization of the minor scales.




Figure 24: The second generalization of the major scales.




Figure 25: The second generalization of the minor scales.

4 Conclusion

Since antiquity, Western music has always tried to base its foundation on mathematics. Until the end of the Renaissance period, music theory always involved a discussion of interval theory and acoustic theory of sound from the perspective of proportion (e.g. the theoretical writings by Boethius, Guido of Arezzo, Franco of Cologne, and Vincenzo Galilei). However, after the beginning of the Baroque period, especially after the 18th century, human perception took priority over an arithmetic truth in music; it made the connection between mathematics and music weaker¹⁸. Atonal musical experiments, which were especially prevalent in the 20th century and can be represented by the twelve-tone technique, again gave mathematics a place in music theory. In the sense of the relationship between mathematics and music, it seems likely that it goes back to the ancient or medieval age in terms of its spirit. However, there is a big difference between them: for example, Lorenz Christoph Mitzler (1711-1778), who strongly asserted the importance of mathematics in music even in the middle of the 18th century and thus might be considered to be an enlightened musician with a mind of “renaissance”, believed that “the bases of harmony and pure composition are invariable in music [die Gründe der Harmonie und der reinen Composition unveränderlich in der Musik]” (1742, Vorrede): these “Gründe” were for Mitzler no other than the bases that can be derived from mathematics. For Mitzler, or for the musicians who possessed mathematical-based world of views until the 18th century, music based on mathematical truth is always invariable and beautiful. On the other hand, it can be interpreted that atonal music and music theories, which are derived from it or are illustrated for contributing to it in the last century, generally used mathematics as a measure for those objective but artificial systematizations; they do use mathematics, but they do not start from the mathematical truth, which according to the ancient and medieval spirit allows music to exist in pure and beautiful form. In terms of the mathematical starting point, our idea should therefore be understood as a music theory that was born from the traditional view of music on mathematics.

Now, the results presented in this paper should briefly be summarized. Scale is an essential element of music and the study of polyhedra is one of the main branches in mathematics. By combining these two concepts, we created a systematic theory that relates the chromatic scale, the whole tone scales, the major/minor triads, the major/minor scales, the fundamental triads for the hexatonic major/minor scales, and the Gregorian modes.

First, we introduced the concept of a musical icosahedron: an icosahedron each of whose vertices have one of the 12 tones without duplication, and the neighboring condition that topology of scales is reflected in the icosahedron. We found that there are only four musical icosahedra satisfying the neighboring condition for the chromatic scale and one of the whole tone scales. We remark that a transformation linking the type 1 (the type 2) and the type 4 (the type 3) gives rise to the analogy of the spin in quantum physics or representation theory. By using these musical icosahedra, we derive the dualities between the major triads and the minor triads, and the major scales and the minor scales, the fundamental triads for the hexatonic major/minor scales, and the duality between the major/minor scales and the Gregorian modes.

Also, we proposed a generalization of the major/minor triads and the major/minor scales by using symmetry transformations of the icosahedra. The number of generalized major/minor triads is 120, and the generalized major/minor scales have two classes, each of which contains 120 scales. Using these generalized scales may be a new way to compose music that has an atmosphere the major/minor scales do not possess. Composing this kind of music is one of the major trends in classical music from the Romantic age to today, accomplished variously through the use of the Gregorian modes, whole tone scales, twelve-tone music, tone cluster, graphic notation etc. The generalized scales proposed in this paper are not meant to deny the major/minor scales or create chaotic music. Rather, they extend the major/minor scales systematically through symmetries of the icosahedra. Because there are exceedingly many possible scales, this extension of the major/minor scales may be a useful tool in composing music, creating novel musical landscapes. It is also interesting to visualize music by using these musical polyhedra because beautiful harmonies (the major/minor triads) are represented by a beautiful figure, the golden triangle.

There are many works we have not dealt with in this paper. For example, although we used only the chromatic scale and the whole tone scales mainly, other of Messiaens modes may also lead to interesting musical icosahedra. In addition, we used only one polyhedron, the icosahedron, and other polyhedra in any dimension may also be useful for analyzing music. In this paper, we only dealt with branches of musical icosahedra directly connecting to the existing musical framework. However, in order to construct a mathematically beautiful theory, we should generalize our theory proposed in this paper and find the relationship between it and existing mathematical theories.

We hope our study stimulates researchers of music and mathematics, composers, musicians, and all other people

¹⁸For example, it is typically indicated in a title of piece-collections for a practice of the piano published in the middle of the 18th century (Hartung 1749): “The demonstrative music theory. It is constructed on the true principles, freed from arithmetical difficulties, but alternated by (an explanation on) harmony [Die *demonstrativische* theoria musica. Auf ihre wahre *Principia* gebauet, von vielen *arithmetischen Subtilitaeten* befreyet, hingegen die Abwechselung deren *Harmonien*...]”

who are interested in music and/or mathematics, and that it may inspire some breakthrough in mathematics, music, or other fields.

A List of scales

A.1 Major scales

The X -major scale is given by $X, X + 2, X + 4, X + 5, X + 7, X + 9, X + 11$ for any tone X . Explicitly, the major scales are represented as follows.

- (i) C, D, E, F, G, A, B, C (C -major),
- (ii) $C^\sharp, D^\sharp, F, F^\sharp, G^\sharp, A^\sharp, C, C^\sharp$ (C^\sharp -major),
- (iii) $D, E, F^\sharp, G, A, B, C^\sharp, D$ (D -major),
- (iv) $E^\flat, F, G, A^\flat, B^\flat, C, D, E^\flat$ (E^\flat -major),
- (v) $E, F^\sharp, G^\sharp, A, B, C^\sharp, D^\sharp, E$ (E -major),
- (vi) $F, G, A, B^\flat, C, D, E, F$ (F -major),
- (vii) $F^\sharp, G^\sharp, A^\sharp, B, C^\sharp, D^\sharp, F, F^\sharp$ (F^\sharp -major),
- (viii) $G, A, B, C, D, E, F^\sharp, G$ (G -major),
- (ix) $A^\flat, B^\flat, C, D^\flat, E^\flat, F, G, A^\flat$ (A^\flat -major),
- (x) $A, B, C^\sharp, D, E, F^\sharp, G^\sharp, A$ (A -major),
- (xi) $B^\flat, C, D, E^\flat, F, G, A, B^\flat$ (B^\flat -major),
- (xii) $B, C^\sharp, D^\sharp, E, F^\sharp, G^\sharp, A^\sharp, B$ (B -major).

A.2 Minor scales

The X -minor scale is given by $X, X + 2, X + 3, X + 5, X + 7, X + 8, X + 10$. Explicitly, the minor scales are represented as follows.

- (i) $C, D, E^\flat, F, G, A^\flat, B^\flat, C$ (C -minor),
- (ii) $C^\sharp, D^\sharp, E, F^\sharp, G^\sharp, A, B, C^\sharp$ (C^\sharp -minor),
- (iii) $D, E, F, G, A, B^\flat, C, D$ (D -minor),
- (iv) $E^\flat, F, G^\flat, A^\flat, B^\flat, B, D^\flat, E^\flat$ (E^\flat -minor),
- (v) $E, F^\sharp, G, A, B, C, D, E$ (E -minor),
- (vi) $F, G, A^\flat, B^\flat, C, D^\flat, E^\flat, F$ (F -minor),
- (vii) $F^\sharp, G^\sharp, A, B, C^\sharp, D, E, F^\sharp$ (F^\sharp -minor),
- (viii) $G, A, B^\flat, C, D, E^\flat, F, G$ (G -minor),
- (ix) $G^\sharp, A^\sharp, B, C^\sharp, D^\sharp, E, F^\sharp, G^\sharp$ (G^\sharp -minor),
- (x) A, B, C, D, E, F, G, A (A -minor),
- (xi) $B^\flat, C, D^\flat, E^\flat, F, G^\flat, A^\flat, B^\flat$ (B^\flat -minor),
- (xii) $B, C^\sharp, D, E, F^\sharp, G, A, B$ (B -minor).

A.3 Hexatonic major scales

The hexatonic major/minor scales and pentatonic major/minor scales are fundamental scales constructed by six (five) tones and obtained by removing one tone (two tones) from major/minor scales (MacCabe, 2015). The hexatonic major scale is given by $X, X + 2, X + 4, X + 5, X + 7, X + 9$. Explicitly, the hexatonic major scales are represented as follows.

- (i) C, D, E, F, G, A, C ,
- (ii) $C^\sharp, D^\sharp, F, F^\sharp, G^\sharp, A^\sharp, C^\sharp$,
- (iii) $D, E, F^\sharp, G, A, B, D$,
- (iv) $E^\flat, F, G, A^\flat, B^\flat, C, E^\flat$,
- (v) $F, G, A, B^\flat, C, D, F$,
- (vi) $F^\sharp, G^\sharp, B^\flat, B, C^\sharp, E^\flat, F^\sharp$,
- (viii) G, A, B, C, D, E, G ,
- (ix) $A^\flat, B^\flat, C, D^\flat, E^\flat, F, A^\flat$,
- (x) $A, B, C^\sharp, D, E, F^\sharp, A$,
- (xi) $B^\flat, C, D, E^\flat, F, G, B^\flat$,
- (xii) $B, C^\sharp, D^\sharp, E, F^\sharp, G^\sharp, B$.

A.4 Hexatonic minor scales

The hexatonic minor scale is given by $X, X + 2, X + 3, X + 5, X + 7, X + 10$. Explicitly, the hexatonic minor scales are represented as follows.

- (i) $C, D, E\flat, F, G, B\flat, C,$
- (ii) $C\sharp, D\sharp, E, F\sharp, G\sharp, B, C\sharp,$
- (iii) $D, E, F, G, A, C, D,$
- (iv) $E\flat, F, G\flat, A\flat, B\flat, D\flat, E\flat,$
- (v) $E, F\sharp, G, A, B, D, E,$
- (vi) $F, G, A\flat, B\flat, C, E\flat, F,$
- (vii) $F\sharp, G\sharp, A, B, C\sharp, E, F\sharp,$
- (viii) $G, A, B\flat, C, D, F, G,$
- (ix) $G\sharp, A\sharp, B, C\sharp, D\sharp, F\sharp, G\sharp,$
- (x) $A, B, C, D, E, G, A,$
- (xi) $B\flat, C, D\flat, E\flat, F, A\flat, B\flat,$
- (xii) $B, C\sharp, D, E, F\sharp, A, B.$

A.5 Pentatonic major scales

The pentatonic major scale is given by $X, X + 2, X + 4, X + 7, X + 9$. Explicitly, the pentatonic major scales are represented as follows.

- (i) $C, D, E, G, A, C,$
- (ii) $C\sharp, D\sharp, F, G\sharp, B\flat, C\sharp,$
- (iii) $D, E, F\sharp, A, B, D,$
- (iv) $E\flat, F, G, B\flat, C, E\flat,$
- (v) $F, G, A, C, D, F,$
- (vi) $F\sharp, G\sharp, A\sharp, C\sharp, D\sharp, F\sharp,$
- (viii) $G, A, B, D, E, G,$
- (ix) $A\flat, B\flat, C, E\flat, F, A\flat,$
- (x) $A, B, C\sharp, E, F\sharp, A,$
- (xi) $B\flat, C, D, F, G, B\flat,$
- (xii) $B, C\sharp, D\sharp, F\sharp, G\sharp, B.$

A.6 Pentatonic minor scales

The pentatonic minor scale is given by $X, X + 3, X + 5, X + 7, X + 10$. Explicitly, the pentatonic minor scales are represented as follows.

- (i) $C, E\flat, F, G, B\flat, C,$
- (ii) $C\sharp, E, F\sharp, G\sharp, B, C\sharp,$
- (iii) $D, F, G, A, C, D,$
- (iv) $E\flat, G\flat, A\flat, B\flat, D\flat, E\flat,$
- (v) $E, G, A, B, D, E,$
- (vi) $F, A\flat, B\flat, C, E\flat, F,$
- (vii) $F\sharp, A, B, C\sharp, E, F\sharp,$
- (viii) $G, B\flat, C, D, F, G,$
- (ix) $G\sharp, B, C\sharp, D\sharp, F\sharp, G\sharp,$
- (x) $A, C, D, E, G, A,$
- (xi) $B\flat, D\flat, E\flat, F, A\flat, B\flat,$
- (xii) $B, D, E, F\sharp, A, B.$

We remark that the major/minor scales each include one pair of tritones, e.g. the C -major scale includes F and B and the C -minor scale includes D and $A\flat$. Then, the hexatonic major/minor scale is obtained by removing one of them, e.g. the C -major hexatonic scale can be obtained by removing B from the C -major scale and the C -minor hexatonic scale can be obtained by removing $A\flat$ from the C -minor scale. In addition, the pentatonic major/minor scale is obtained by removing the two tones constructing a tritone, e.g. the C -major pentatonic scale can be obtained

by removing F and B from the C -major scale and the C -minor pentatonic scale can be obtained by removing D and $A\flat$ from the C -minor scale.

A.7 Gregorian modes

Gregorian modes are represented as follows.

- (i) $D(f), E, F, G, A, B, C, D$ (Dorian),
- (ii) $A, B, C, D(f), E, F, G, A$ (Hypodorian),
- (iii) $E(f), F, G, A, B, C, D, E$ (Phrygian),
- (iv) $B, C, D, E(f), F, G, A, B$ (Hypophrygian),
- (v) $F(f), G, A, B, C, D, E, F$ (Lydian),
- (vi) $C, D, E, F(f), G, A, B, C$ (Hypolydian),
- (vii) $G(f), A, B, C, D, E, F, G$ (Mixolydian),
- (viii) $D, E, F, G(f), A, B, C, D$ (Hypomixolydian),

where f mean the final tone of each mode. In this paper, we deal with the Gregorian modes and all the transpositions of them. We define X -Dorian (X -Phrygian, X -Lydian, X -Mixolydian) as the scale whose base tone is X and is obtained by modulating Dorain (Phrygian, Lydian, Mixolydian). They are represented as follows.

- $X, X + 2, X + 3, X + 5, X + 7, X + 9, X + 10, X + 12$ (X -Dorian),
- $X, X + 1, X + 3, X + 5, X + 7, X + 8, X + 10, X + 12$ (X -Phrygian),
- $X, X + 2, X + 4, X + 6, X + 7, X + 9, X + 11, X + 12$ (X -Lydian),
- $X, X + 2, X + 4, X + 5, X + 7, X + 9, X + 11, X + 12$ (X -Mixolydian).

Then, we analyze the structure of the above modes. X -Dorian can be obtained by lowering the sixth tone of the X -minor scale by one semitone, and X -Phrygian can be obtained by raising the second tone of the X -minor scale by one semitone, and X -Lydian can be obtained by raising the fourth tone of the X -major by one semitone, and X -Mixolydian can be obtained by lowering the seventh tone of the X -major by one semitone.

A.8 Chromatic Scale and Whole tone scales

The chromatic scale is the following scale.

$$C, C\sharp, D, E\flat, E, F, F\sharp, G, G\sharp, A, B\flat, B$$

Note that all the intervals in the chromatic scale are one semitone.
The whole tone scales are the following two scales.

$$C, D, E, F\sharp, G\sharp, B\flat, \\ C\sharp, E\flat, F, G, A, B.$$

Note that all the intervals in the whole tone scale are one whole tone (two semitones). The second one is obtained by transposing the first one by one whole tone (two semitones). Messiaen extended these scales by using the concept of transposition. There are modes that can be transposed in 1 way, 2 ways, 3 ways, 4 ways, 6 ways and 12 ways. The chromatic scale is the only scale that can be transposed in 1 way, and the whole tone scales are the only scales that can be transposed in 2 ways. The major/Minor scales or the Gregorian modes can be transposed in 12 ways. Although the modes of limited transposition we deal with mainly in this paper are only the chromatic scale and whole tone scales, other modes of limited transposition, e.g. $C, C\sharp, F, F\sharp, G, G\sharp, B\flat$, are also interesting and we will deal with those modes in another paper.

A.9 First generalization of major scales

In this subsection, we show the first generalization of the major scales and the three generalized major/minor triads constructing them. Note that the following scales are rearranged to become an ascending scale because these arrangements may be useful for composition or analysis of music because a scale is usually considered as a list of tones that is ascending or descending. Theoretically, the original arrangements should be respected because, except for the

C -major scale, the following scales correspond to figures that are different from the figure of the C -major scale on the type 1 chromatic/whole tone musical icosahedron.

C -major: C, D, E, F, G, A, B (CEG, FAC, GBD),
 C_1 -major: $C, E\flat, E, F, G, G\sharp, B\flat$ ($CGG\sharp, EFC, G\sharp B\flat E\flat$),
 C_2 -major: $C, C\sharp, E, G, G\sharp, A, B$ ($CG\sharp A, GEC, AC\sharp B$),
 C_3 -major: $C, D, F, G, G\sharp, A, B\flat$ ($CAF, G\sharp GC, FDB\flat$),
 C_4 -major: $C, C\sharp, E\flat, E, F, G\sharp, A$ ($CFE, G\sharp AC, EE\flat C\sharp$),
 MC -major: $C, E\flat, F, G, G\sharp, A, B\flat$ ($CG\sharp G, AFC, GE\flat B\flat$),
 MC_1 -major: $C, C\sharp, E, F, G\sharp, A, B$ ($CAG\sharp, EFC, G\sharp BC\sharp$),
 MC_2 -major: $C, D, E, F, G, A, B\flat$ ($CFA, EGC, AB\flat D$),
 MC_3 -major: $C, C\sharp, E\flat, E, F, G, G\sharp$ ($CEF, GG\sharp C, FC\sharp E\flat$),
 MC_4 -major: $C, D, E, G, G\sharp, A, B$ ($CGE, G\sharp AC, EDB$),

and the scales obtained by raising all the tones of each of the above scales by n semitones ($1 \leq n \leq 12$).

A.10 First generalization of minor scales

In this subsection, we show the first generalization of the minor scales and the three generalized major/minor triads constructing them. Note that the following scales are rearranged to become an ascending scale.

C -minor: $C, D, E\flat, F, G, G\sharp, B\flat$ ($CE\flat G, FG\sharp C, GB\flat D$),
 C_1 -minor: $C, E, F, G, G\sharp, A, B$ ($CGG\sharp, EFC, G\sharp AB$),
 C_2 -minor: $C, C\sharp, E\flat, E, F, G\sharp, B\flat$ ($CG\sharp F, E\flat EC, FC\sharp B\flat$),
 C_3 -minor: $C, D, E\flat, E, F, G, A$ ($CFE, GE\flat C, EDA$),
 C_4 -minor: $C, C\sharp, E\flat, E, G, G\sharp, B$ ($CEE\flat, G\sharp GC, E\flat BC\sharp$),
 MC -minor: $C, D, E\flat, E, F, G, B\flat$ ($CGE\flat, FEC, E\flat DB\flat$),
 MC_1 -minor: $C, E\flat, E, G, G\sharp, A, B$ ($CG\sharp G, EE\flat C, GBA$),
 MC_2 -minor: $C, C\sharp, E\flat, F, G, G\sharp, B\flat$ ($CFG\sharp, E\flat GC, G\sharp B\flat C\sharp$),
 MC_3 -minor: $C, D, E, F, G, G\sharp, A$ ($CEF, GG\sharp C, FAD$),
 MC_4 -minor: $C, C\sharp, E\flat, E, F, G\sharp, B$ ($CE\flat E, G\sharp FC, EC\sharp B$),

and the scales obtained by raising all the tones of each of the above scales by n semitones ($1 \leq n \leq 12$).

A.11 Second generalization of major scales

In this subsection, we show the second generalization of the major scales and the three generalized major/minor triads constructing them. Note that the following scales are rearranged to become an ascending scale.

C -major: C, D, E, F, G, A, B (CEG, FAC, GBD),
 C'_1 -major: $C, C\sharp, E\flat, F, G\sharp, A, B\flat$ ($CC\sharp F, E\flat G\sharp C, FAB\flat$),
 C'_2 -major: $C, D, E\flat, E, G, G\sharp, B$ ($CBE\flat, DEC, E\flat G\sharp G$),
 C'_3 -major: $C, C\sharp, D, E, F, A, B\flat$ ($CAD, B\flat C\sharp C, DEF$),
 C'_4 -major: $C, C\sharp, E\flat, G, G\sharp, B\flat, B$ ($CG\sharp B\flat, GBC, B\flat C\sharp E\flat$),
 MC' -major: $C, C\sharp, E\flat, F, G\sharp, B\flat, B$ ($CG\sharp E\flat, FC\sharp C, E\flat BB\flat$),
 MC'_1 -major: $C, D, E\flat, E, G, A, B$ ($CED, E\flat BC, DAG$),
 MC'_2 -major: $C, C\sharp, D, F, G\sharp, A, B\flat$ ($CG\sharp B\flat, DAC, B\flat G\sharp F$),
 MC'_3 -major: $C, E\flat, E, G, G\sharp, B\flat, B$ ($CBG, B\flat G\sharp C, GEE\flat$),
 MC'_4 -major: $C, C\sharp, D, E, F, G, A$ ($CAF, GEC, FC\sharp D$),

and the scales obtained by raising all the tones of each of the above scales by n semitones ($1 \leq n \leq 12$).

A.12 Second generalization of minor scales

In this subsection, we show the second generalization of the minor scales and the three generalized major/minor triads constructing them. Note that the following scales are rearranged to become an ascending scale.

C -minor: $C, D, E\flat, F, G, A\flat, B\flat$ ($CE\flat G, FA\flat C, GB\flat D$),
 C'_1 -minor: C, D, E, F, G, A, B (CEA, GBC, ADF),
 C'_2 -minor: $C, C\sharp, F, G, G\sharp, A, B\flat$ ($CG\sharp B\flat, AC\sharp C, B\flat FG$),

C'_3 -minor: $C, D, E\flat, G, A, B\flat, B$ ($CBD, B\flat E\flat C, DGA$),
 C'_4 -minor: $C, C\sharp, D, E, F, A, B\flat$ ($CC\sharp F, DEC, FAB\flat$),
 MC' -minor: $C, D, E, G, A, B\flat, B$ ($CBG, AEC, GDB\flat$),
 MC'_1 -minor: $C, C\sharp, D, F, G\sharp, A, B\flat$ ($CC\sharp A, B\flat G\sharp C, AFD$),
 MC'_2 -minor: $C, D, E\flat, F, G, B\flat, B$ ($CE\flat B\flat, DBC, B\flat GF$),
 MC'_3 -minor: $C, C\sharp, D, E, F, G, A$ ($CED, FC\sharp C, DAG$),
 MC'_4 -minor: $C, E\flat, F, G, G\sharp, A, B\flat$ ($CG\sharp F, GE\flat C, FB\flat A$),
 and the scales obtained by raising all the tones of each of the above scales by n semitones ($1 \leq n \leq 12$)

References

- Archer-Hind, R. D. (1888). *The Timaeus of Plato*, London: Macmillan.
- Benary, P. (1995). Dur und Moll. In *Musik in Geschichte und Gegenwart* (2nd ed., col. 1593-1597), Kassel: Bärenreiter-Verlag.
- Coxeter, H. S. M. & Rouse Ball, W. W. (2010). *Mathematical Recreations and Essays* (13th. ed.). New York, NY: Dover Publications.
- Cromwell, P. R. (1999). *Polyhedra*, Cambridge, UK: Cambridge University Press.
- Hartung, P. Ch. (1749). *Musicus theoretico-practicus*, Nürnberg.
- Hawking, S. (2007). *God Created The Integers: The Mathematical Breakthroughs that Changed History*, Philadelphia: Running Press Adult.
- JAXA EORC (2019, October 15). AMSR AMSR-E,
Retrieved from https://sharaku.eorc.jaxa.jp/AMSR/giftbox/s_ball/index.j.html.
- Kepler, J. (2009). *Mysterium Cosmographicum* [Cosmic Mystery] (S. Ohtsuki & M. Kishimoto, Trans.). Tokyo: Kohsakusha.
- MacCabe, L. (2015). *You Can Teach Yourself Songwriting* (You Can Teach Yourself Series), Fenton, Mel Bay Publications.
- Meisner, G. B. & Araujo, R. (2018). *The Golden Ratio: The Divine Beauty of Mathematics*, New York, NY: Race Point Publishing.
- Mitzler, Lorenz Christoph. Trans. (1742). *radus ad Parnassum, oder Anführung zur regelmässigen Composition, aus dem Lateinischen ins Deutsche übersetzt, und mit Anmerkungen versehen*, Leipzig.
- Polyhedron Club (2019a, November 23). Polyhedron-Temari collection,
Retrieved from <http://polyhedra.cocolog-nifty.com/blog/2012/11/post-a6c3.html>.
- Polyhedron Club (2019b, November 23). Polyhedron-paper-craft,
Retrieved from <http://polyhedra.cocolog-nifty.com/blog/2017/11/post-dcc9.html>.
- Schein, S. & Gayed, M. (2014). Fourth class of convex equilateral polyhedron with polyhedral symmetry related to fullerenes and viruses, *Proceedings of the National Academy of Sciences*, 111(8), 2920-2925.
- Shi C. Y. (2002). On the gong diao of Chinese Traditional Music Theory, *Musicology in China*, 4, 109-116.