IW-PL689

Pedestal Long Version Server Chassis

Features & Benefits

- High density storage up to 3.5" or 2.5" hot swap drive bay x 11
- Supports extended ATX (12" x 13") M/B
- For general purpose storage server chassis
- HBA Card Retainer supported
- Platinum level high efficiency CRPS

# IW-PL689

Pedestal Long Version Server Chassis

Front view

Rear view

Inside view

Features

◆ Flexible 5.25" ODD cage for versatile storage configuration (Optional 2-in-3 or 3-in-4 storage kits)

◆ 12" x 13" server board

◆ Supports PS2 or 2U 1+1 800W Platinum level CRPS

◆ 3.5" SATA HDD Fixing Plate x 5 (Optional)

◆ Tool-free ODD/FDD

◆ Supports 120 x 25 mm front fan x 1

◆ Supports 120 x 25 mm middle fan x 2


◆ Supports 80 mm x 2 or 120 mm x 1 rear fan

◆ Card retainer to ensure that HBA cards are locked into position (Optional)

www.in-win.com

IW-PL689

Pedestal Long Version Server Chassis

Dimensions (DxH)

560 mm

430 mm

Specifications

M/B Form Factor	ATX (12" x 9.6"), CEB (12" x 10.5"), EEB (12" x 13")
Dimensions (DxWxH) w/o Front Panel	560 x 200 x 430 mm (22" x 7.9" x 16.9")
Drive Bay	External: 5.25" x 4, 3.5" x 1 Internal: 3.5" or 2.5" x 5
Power Supply	Supports ▪ PS2 or 2U 1+1 800W Platinum level CRPS
Indicator	Power status, HDD, LANs, System Fail Activity LEDs, ID
Front Control Panel	Power Switch, System Reset, USB3.0 x 2
Chassis Security	Intrusion Switch, Padlock Loop, Kensington Lock Supported
Cooling Fan	Supports ▪ Front: 120 x 25 mm x 1 PWM Fan ▪ Middle: 120 x 25 mm x 2 PWM Fan ▪ Rear: 80 mm x 2 or 120 mm x 1 PWM Fan
Expansion Slot	Full Height PCI Slot x 7
Others	Supports ▪ Card Retainer ▪ Easy-Swap Module for Internal HDD
Packaging Dimensions (D x W x H)	340 x 720 x 592 mm
Shipping Information	Net Weight: 10.75 kg Gross Weight: 14.3 kg

Optional

| FAN | POWER SUPPLY | OTHERS |

* For further information on accessories, please visit our website OPTIONS

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make final modifications.

* Above image for reference only. All hardware components are not included.