
Index

Note to the Reader: (*) identifies a reference to a section.

- 1D arrays,**
embedding in 2D meshes 297(*)
simulation of 2D array on 298
- 2-SAT language 363
- 2D meshes,**
embedding 1D arrays in 297(*)
fully normal algorithms on 306(*)
matrix multiplication on 295(*), 296
normal algorithm on 307
simulation on 1D array 298
- 3-COLORING language 359
- 3-SAT language 356
- A**
- Abelson, H.** 527 602 605
- abnormal termination** 210
- Abrahamsen, K.** 528 605
- absorption rules,**
Boolean expressions 41
- accept state** 179
- acceptance,**
See, language(s)
- accepting halt state** 214
standard TM 210
- accumulator** 111
simple CPU,
circuits 146
- accumulator (cont.)**
simple CPU (cont.)
design spec 138
- activation records** 339
- addition** 58(*)
adder,
carry lookahead, circuit for 61
carry-save, circuit for 64
FSM 108
full 59
ripple 58
ripple, FSM simulating 107
carry lookahead 60(*)
function,
circuit for 60
integer 231
matrix 242
rings 239
simulating, with shallow circuit 105(*)
- addr** 110
- address,**
memory 111
MAR, simple CPU design spec 138
sequence 568
- adjacency,**
list 30
matrix 11
Boolean 248

- adversarial strategy, monotone**
 communication game 443 445
 447
- advice function** 382
- Aggarwal, A.** 563 573 605
- Aho, A. V.** 278 279 602 605
- Ajtai, M.** 274 456 457 459 606
- Akers, S. B.** 528 606
- Akl, S. G.** 323 606
- AKS sorting network** 274
- algebraic,**
 circuits 35 283
 (chapter) 237(*)
 properties, of Boolean functions 40(*)
- algorithms** 210
 ascending 301
 block merging 561 562
 brief history 6
 Cocke-Kasami-Younger, parsing 189
 convolution, fast, complexity of 270
 Csanky's 260 262
 descending 301
 divide-and-conquer 67
 dynamic programming 165
 FFT 266(*)
 convolution 263(*), 269
 FSM minimal 175(*), 176
 fully normal 307
 implementation by machines 170
 inversion, arbitrary non-singular matrices
 259
 LDL^T factorization 259
 matrix,
 inversion 260
 multiplication 242 422
 multiplication, improvements on 244
 memory-management, two-level 568(*)
 multiplication, standard integer 63
 Newton's approximation 69
 normal 301(*), 301
 ascending/descending 306 307
 AT^2 upper bound for 585
 cyclic shifting on the hypercube 304
 fully 301 307
 fully, on 2D arrays 306(*)
 on CCC networks 307(*), 308
 PRAM EREW simulation of 313
 offline 567
 online 567
 page-replacement 567
 FIFO 568
- algorithms (cont.)**
- page-replacement (cont.)**
- LRU 568
 MIN 568
 parallel, performance 289(*)
 polynomial time, CFL recognition 189
 reachability, paths explored by 344
 reciprocal 70
 regular languages, decision problems 171
 sorting 301 302
 stable sorting 304
 Strassen's 245(*)
 matrix multiplication 247
 systolic, simulation on systolic array 298
 VLSI,
 performance of 592(*)
 performance of, on functions 593(*)
 performance of, on predicates 595(*)
 VLSI design algorithmic level 577
- Alon, N.** 457 606
- Alpern, B.** 563 573 605 606
- alphabet** 9 181
 choice input 214
 DFSM 154
 tape 214
- Alt, H.** 323 606
- ALTERNATING QUANTIFIED SATISFIABILITY**
 language 369
- GENERALIZED GEOGRAPHY**
 correspondance 371
- Amano, K.** 424 457 606
- ambiguous languages** 187
- Amdahl, G. M.** 323 606
- Amdahl's law** 290(*)
- Andreea, P.** 602 605
- Andreev, A. E.** 456 457 606
- annihilator,**
 under multiplication, rings 239
- approximation method,**
 approximator circuits 426
 monotone circuits, lower bounds derivation
 424(*), 424
 test inputs,
 negative 425
 positive 425
- approximator(s),**
 b -approximator 448
 circuits 426 427
 \sqrt{n} -approximator 450
- ARBITRARY PRAM model** 313

- architecture,**
 RAM 110(*)
 VLSI 577
- array(s),**
See also, matrix(s); mesh(es)
 1D,
 embedding in 2D meshes 297(*)
 simulation of 2D array on, 298
 hypercube embedding of 299(*)
 linear,
 bubble sort on 294
 matrix multiplication on 294
 matrix-vector multiplication on 293(*)
 shuffle permutations 304(*)
 sorting on 294(*)
 unshuffle permutations 304(*)
 PRAM simulation 313(*)
 systolic 27 28
 multiplication 296
 systolic algorithm simulation on, 298
- ascending algorithms** 301
- assembly language** 112
 assembler 141
 instructions 112
 simple CPU 140(*)
- assignment,**
 operation 17
 state, problem 107
- associative operator** 41 48 56 102
- asynchronous parallel computers** 285
- Aussiello, G.** 614
- automaton,**
 brief history 4
 linear bounded 204
 pushdown, *See PDA*
- Axler, S.** 606
- B**
- Babbage, Charles,**
 Analytical Engine 4
- Backus, J.** 323 606
- backward substitution** 263
- bad matrix** 504
- balanced,**
 binary tree 564
 associative operator 48
 computer systems 532(*)
 partition 425
- Balcázar, J. L.** 389 606
- bandwidth** 284
- Bar-Hillel, V.** 207 606
- basis,**
 change 396(*)
 circuit 38 239
 complete 84 392
 dyadic unate 392
 fan-in 392
 full two-input 392
 logic circuit 11
 monotone, completeness for the monotone
 functions 392
 standard 373 392
 step 15
- Batcher, K. E.** 279 323 606
- Batcher's bitonic merging network** 271 272
- as ascending algorithm 302
 complexity of 273
- Baudet, G. M.** 602 603 606
- BDD (binary decision diagram)** 490
- Beals, R.** 456 606
- Beame, P. W.** 72 88 528 606
- Beauregard, R. A.** 609
- Belady, L.** 573 606
- Benes, V. E.** 323 607
- Benes network** 289 310
 global routing network example 310
- Berkowitz, S.** 458 607
- Bertolazzi, P.** 618
- Bertsekas, D. P.** 323 607
- BFS spanning tree** 591
- big Oh notation, $O(\)$** 13
 divide-and-conquer multiplication 66
- big Omega notation, $\Omega(\)$** 13
- big Theta notation, $\Theta(\)$** 13
- Bilardi, G. M.** 323 601 602 603 607
- bilinear form** 420
 semi-disjoint 420
 replacement rule 420
- binary,**
 decision diagram 490
 functions 12 39
 tree circuits for 78
 merging 414
 numbers, FSM adding 101
 relation 10
 representation, of integers 58

- binary (cont.)**
- representation, standard 8
 - search,
 - lower performance bounds 565
 - procedure 565
 - tree 564
 - sorting 85
 - functions, as symmetric function 74
 - monotone circuits lower bounds 413
 - trees 78 564
 - balanced 564
 - balanced, associative operator 48
 - balanced, pebbling 465
 - complete balanced 463 464
 - complete balanced, space lower bounds on 465
 - longest path length 565
 - longest path length for sorting 560
 - number of unlabeled 78
 - search 564
- Bini, D.**607
- binomial theorems**451
- bipartite graph**467
- bisection width**,
- graph, network 287
- bit reverse permutation**267
- bitonic**,
- sequence 278
 - sorter 271 272 278
- blank symbol**214
- Blelloch, G. E.**323 607
- block**,
- I/O 557
 - in the MHG 555(*)
- block**,
- matrix 243
 - merging algorithm 561 562
 - row 503
 - transfer I/O model, *See* BTM
- Blum, M.**389 607
- Blum, N.**455 607
- Boehm, C.**614
- Boolean**,
- adjacency matrix 248
 - circuits 35 283
 - convolution 419
 - convolution, function 422
 - functions 12 39
 - algebraic properties of 40(*)
 - circuit-size lower bound for most 77
 - circuit-size upper bound for all 82
 - Boolean (cont.)
 - functions (cont.)
 - class 400 403
 - class $Q_{2,3}^{(n)}$ 401
 - computing on CRCW PRAM 314
 - depth lower bound for most 79
 - depth upper bound for all 80
 - (k, s)-Lupanov representation in 81
 - logic gate implementation of 16
 - maxterm of 43
 - minterm of 42
 - negations needed to realize 409
 - normal form expansions 42(*)
 - matrix,
 - powers of 248
 - matrix multiplication 244 422
 - monotone circuits and 423
 - optimal monotone circuit 424
 - straight-line program, circuit as graph of 37
 - variable 11
- boot program**141
- Bopanna, R. B.**89 456 457 606 607
- Borodin, A.**279 337 389 497 504 528 607
- Borodin-Cook lower-bound method**497(*)
- applications 505(*)
 - convolution 505(*)
 - DFT 513(*)
 - integer multiplication 506(*)
 - matrix inversion 511(*)
 - matrix multiplication 509(*)
 - matrix-vector product 507(*)
 - sorting 516(*)
 - unique elements 514(*)
- bounded**,
- computations, impossibility theorem for 24
 - depth circuits 393 448(*)
 - depth parity circuits,
 - exponential size 448(*)
 - exponential size of 450
 - memory, RAM 19 111 122
- Brakhage, H.**609
- branching program(s)**488(*)
- comparison with other computational models 493(*)
 - computation on 489
 - decision 489
 - efficient,
 - for cyclic shifting 496(*)
 - for merging 496(*)
 - general 490

branching program(s) (cont.)

- lower bound method 498
- normal-form 492
- pebble game,
 - comparison with 493
 - lower bound from 494
- RAM,
 - lower bound from 494
 - simulation 495
- space 490
- space-time,
 - tradeoffs 26
 - tradeoffs, analysis with 461
 - straight-line programs vs. 496(*)
- Brent, R. P. 88 323 455 601 602 607 608
- Brent's principle 291(*)
- broadcasting on the hypercube 303(*)
- Bryant, R. E. 528 608
- BSP (bulk synchronous parallelism) model 317(*)
- BTM (block-transfer model) 559(*)
- sorting time 561
- bubble sort 294
- Burrus, C. S. 279 611
- butterfly graph,
 - as ascending algorithm 301
 - comparator network replacement with 273
 - FFT 238
 - network 289

C

- CAD (computer-aided design) 578
- canonical,
 - CCC network 307
 - normal algorithms on 308
 - TM encoding 221
- capacity,
 - computational 532
 - I/O 532
 - storage 111
 - TM 119
- cardinality, set 7
- Carlson, D. A. 526 527 608
- carry,
 - generate function 103
 - generation 59
 - lookahead adder 60(*), 105
 - circuit for 61

carry (cont.)

- propagate function 103
- propagation 59
- save adder 64
- save multiplier, circuit for 66
- terminate function 103
- Carter, L. 573 606
- Cartesian product 8
- Cayley-Hamilton theorem 260
- CCC (cube-connected cycles) 300(*)
- canonical networks 307
 - normal algorithms on 307(*), 308
 - VLSI layout of, 584(*)
- ceiling function 13
- cells,
 - systolic arrays 292
- Celoni, J. R. 526 616
- central slice 435
- certificate 329
 - succinct 100
- CFL (context-free language) 22 153 183(*)
- Chomsky,
 - hierarchy component 5
 - language type 182
 - normal form 187
- machine type that corresponds to, (table)
 - 182
- parsing 186(*)
- PDA,
 - acceptance of 192 192(*)
 - languages are 194
- properties 197(*)
- closure 198(*)
- non-closure 199
- pumping lemma 197(*)
- recognition, polynomial time algorithm 189
- chain 536
- Chandra, A. K. 526 563 573 605 608
- characteristic,
 - functions 13 375
 - polynomial, matrix 260
- Chazelle, B. M. 601 608
- chip(s) 575
 - area 27
 - layout,
 - H-tree 581(*)
 - VLSI 581(*)
 - VLSI,
 - fabrication of 576(*)
 - layout 28

- choice,**
 agent 99
 input 99
 alphabet 214
 string 215
 string, NDTM 120
 verification of a string in a language by 121
- Chomsky,**
 hierarchy 5 182
 normal form, CFLs 187
- Chomsky, N.** 207 236 608
- Church, A.** 236 608
 as a founder of theoretical computer science 4
- Church-Turing thesis** 209
- circuit(s),**
 accumulator input, simple CPU 146
 addition function 60
 algebraic 35 283
 (chapter) 237(*)
 LDL^T factorization of SPD matrices 258
 approximator 426 427 429 430
 basis 239
 Boolean 35 283 410
 bounded FSM, computations and 96(*)
 bounded-depth 393 448(*)
 errors with b -approximator of 448
 parity, exponential size 448(*)
 parity, exponential size of 450
 bounded-fan-out 395
 carry lookahead adder 61
 carry-save,
 adder 64
 multiplier 66
 combinatorial, (chapter) 237(*)
 comparator 35
 complexity 27(*)
 (chapter) 391(*)
 classes 380(*)
 measures of 40(*), 393(*)
 measures, relationships among 394(*)
 relationship to TM computation time 5
- computations,
 equivalence between FSM and 96
 reductions of TM computations to 128 (*)
- counting function 75
- CREW PRAM,
 equivalence 376(*), 379
 simulation by 377
- circuit(s) (cont.)**
 cyclic shifting 50
 decoder 54
 demultiplexer function 55
 depth 11 35 40 239 394 436(*)
 binary multiplication function 66
 decoder 54
 formula size vs 396(*)
 in a simple CPU 146(*)
 monotone communication game
 relationship 441
 relationship between formula size and 397
 simple lower bounds on 399
 with fan-out s 394
 designing 36(*)
 divide-and-conquer multiplier 67
 encoder 52
 encoder function 52
 families 373
 log-space uniform 373
 uniform 373
- fan-out-1 392
 and formula size relationship 394
- FFT, algorithm 267
- FSM, compared with 94
- full-adder 18
- functions,
 computed by 38(*), 39(*), 392
 graph of Boolean straight-line program 37
- integrated 575
- log-space uniform,
 computable by polytime DTMs 374
 polytime DTM functions are computable by 374
 PRAM relationship 378
- logic 11 16 17 392
 as computational model 16(*)
 (chapter) 35(*)
 standard basis of 38
 VLSI computational model 579
- lower bounds, methods for deriving 399(*)
- models 392(*), 451
 parallel memoryless computational 282
 monotone 27 353 392
 Boolean convolution 419
 Boolean matrix multiplication on 423
 lower bound, approximation method
 derivation 424(*)
 lower bound, for binary sorting 413
 lower bound, for merging 414

circuit(s) (cont.)**monotone (cont.)**

- lower bound, function replacement
 - method derivation 417(*)
- lower bound, methods for deriving 412(*)
- lower bound, path-elimination method 413(*)
- lower bound, slice functions derivation 431(*)
- optimal, Boolean matrix multiplication 424
- paths 414
 - realization of pseudo-negations 432
 - size, clique function 430
 - slice functions 434
 - vertex-disjoint paths 415
- multiplexer function 55
- P/poly** language acceptance 383
- parallel prefix function 57
- planar,
 - size lower bound in terms of $w(u, v)$ -flow 593
 - size lower bounds for independent functions 594
 - size, relationship between AT^2 and A^2T and 589
 - size, relationship between standard and 586(*)
 - size, VLSI chips 586(*)
- polynomial size 382(*)
- PRAM relationship 378
- prefix, parallel, efficient 57(*)
- RAM, next-state/output functions 120
- random-access memory 116
- reciprocal function 72
- safe 106
- Schönhage-Strassen 67
- sequential 106
 - as concrete implementation of sequential machine model 5
 - designing 106(*)
- shallow,
 - FSM simulation 100(*), 102 104
 - simulating addition with 105(*)
- simulation,
 - by dataflow computers 283
 - of FSM 95
 - of TM 124(*), 125 129 134(*)
- size 11 35 40 239 393
 - as quantity whose rate of growth is significant 13

circuit(s) (cont.)**size (cont.)**

- basis change effect on 396(*)
- Boolean convolution 419
- bound for indirect storage access function 405
- bounds on 402
- decoder 54
- fan-out impact on 394(*)
- gate-elimination method for 400(*)
- in a simple CPU 146(*)
- lower bound, for functions in $F_s^{(n,k)}$ 403
- lower bound, for functions in $Q_{2,3}^{(n)}$ 401
- lower bound, for most Boolean functions 77
- simple lower bounds on 400
- slice function relationship 432
- upper bound, for all Boolean functions 82
- upper bounds on 79(*)
- with fan-out s 393
- specialized 48(*)
- straight-line programs and 36(*)
- symmetric functions 76
- synchronous FSM simulation 98
- transitive closure 251
- tree 78
 - decomposition of 398
 - for binary functions 78
- uniform 373(*), 373
 - recognition **NSPACE** language 375
 - TM equivalence 374(*)
- CIRCUIT SAT language 132
- CIRCUIT SATISFIABILITY language 128
- CIRCUIT VALUE language 128 130 131 352
 - complexity theory role 128
- CIRCUIT VALUE problem 40
- circulant** 277
 - matrix 244
- CISC (complex instruction set computer)** 138
- classes**,
 - complexity 26(*)
 - equivalence 10 172
- classification**,
 - decision problem 334(*)
 - of problems, issues and parameters 328(*)
- clause(s)**,
 - Horn 385
 - SATISFIABILITY language 132 328
 - triangles 359

- clique function** 412
 communication complexity of 447
 lower bound, technical lemma 445 446
 monotone circuit size 430
 monotone depth 442(*)
- clique player**,
 monotone communication game 442
- clock** 106
- closure**,
 Kleene 158 163
 properties,
 CFL 198(*)
 of regular languages 170
- rings** 239
 transitive 182 248(*)
 application to parsing CFLs 190
 circuits for 251 252
 function, complexity of 249
 matrix 248
 reduction of matrix multiplication
 function to 250
- cmd** 110
- coarse-grained parallel computers** 284
- Cobham, A.** 526 608
- Cocke, J.** 207
- color player** 442
- combinatorial circuits, (chapter)** 237(*)
- combiners** 406
- COMMON model, PRAM** 313
- communication**,
 complexity 437
 depth relationship 438 439
 monotone depth relationship 440(*)
 of clique function 447
 VLSI 595
 game 437 441 447
 parity communication problem 438
- commutativity** 40
 non, matrix multiplication 242
 rings 239 264(*)
- comparator**,
 based, merging networks 481
 circuit 35
 element 481
 function 270
 networks 270 271
- compare-exchange operation** 560
- competitive**,
 analysis 567
 memory management 567(*)
- compiler** 187
- complementary number system** 432
- complementation**,
 CFL, not closed under 199
- complements**,
 complexity class 343(*)
 decision problem 329
 language 170
 decision problems and 329(*)
- NP** 347(*)
 Schur 254
- complete**,
 basis 84 392
 formula size relationship 399
 language 130(*)
 NP 130
 P 130
 problems 350(*), 351
 records 339
- complexity**,
 circuit 27(*)
 bounded-fanout 395
 (chapter) 391(*)
 depth 436(*)
 measures of 40(*), 393(*)
 measures, relationships among 394(*)
 relationship to TM computation time 5
 classes 26(*), 334
 (chapter) 327(*)
 circuit, containment of 381
 circuits 380(*)
 complements of 343(*)
 relationships among 342
 space-bounded 338(*)
 time-bounded 337(*)
 time-bounded and space-bounded
 relationships 341(*)
 time-bounded, containment among 337
 transformation class relationships with
 350
- communication** 437
 depth relationship 439
 general depth and 438(*)
 monotone depth relationship 440(*)
 of clique function 447
 VLSI 595
- complex instruction set computer, *See* CISC
- computational 23(*)

- complexity (cont.)**
- computational (cont.)**
 - brief history 5
 - I/O 563
 - brief history 6
 - measures, size of smallest circuit for a function 118
 - theory, P and NP-complete language role 128
 - TM vs circuit size, as tool to resolve $P \stackrel{?}{=} NP$
 - equality question 128
 - transitive closure function 249
 - composition,**
 - function 231
 - log-space TM 351
 - computability,**
 - (chapter) 209
 - feasible problems, serial computation thesis 330
 - computation,**
 - bounded, impossibility theorem for 24
 - capacity 532
 - circuit,
 - equivalence between FSM and 96
 - model, logic circuits as 16(*)
 - reductions of TM computations to 128(*)
 - cost, with HMM 563
 - data-dependent, branching programs 488
 - function, by standard TM 210
 - locality of reference 558
 - multilective 580
 - on a branching program 489
 - parallel 27(*)
 - (chapter) 281
 - circuit models 372
 - period 582
 - prefix 55(*), 583(*)
 - read-once 580
 - restricted models of, representing 217(*)
 - semellective 580
 - serial, thesis 330
 - step, red-blue pebble game 530
 - time,
 - in the VLSI synchronous model 579
 - pebbling strategy 531
 - computational,**
 - complexity 23(*)
 - brief history 5
 - inequalities 23(*)
 - for FSM 95(*)
 - for interconnected FSMs 97
 - computational (cont.)**
 - inequalities (cont.)**
 - for the random-access memory 117(*)
 - for the TM 127 134 127(*)
 - RAM 118
 - VLSI chips 587(*)
 - models 16(*)**
 - branching program comparison with 493 (*)
 - parallel 282(*)
 - (part I - chapters 2-7) 35
 - serial 331(*)
 - VLSI 579(*)
 - VLSI, (chapter) 575(*)
 - time, TM relationship to circuit complexity 5**
 - work,**
 - on FSM 96
 - on PRAM 290
 - computer(s),**
 - balanced systems 532(*)
 - distributed memory 284 285
 - distributed shared memory 285
 - networked 287(*)
 - parallel,
 - Brent's principle 291(*)
 - Flynn's taxonomy 285
 - memoryless 282(*)
 - synchronous 285
 - unstructured, circuit as form of 283
 - with memory 283(*)
 - science 3
 - shared memory 284
 - concatenation** 9
 - CFL closed under 198
 - NFSM 164
 - string 158
 - concurrency,**
 - See also*, PRAM
 - power of 314(*)
 - conditional vector operations** 286
 - configuration,**
 - graph 218 334 340
 - TM, k-tape 218
 - connection network** 289
 - context-free grammar** 22 183
 - Chomsky normal form 187
 - context-sensitive grammar** 183
 - context-sensitive language(s)** 183(*), 183
 - Chomsky,
 - hierarchy component 5

context-sensitive language(s) (cont.)**Chomsky (cont.)**

language type 182

machine type that corresponds to, (table)
182**contradiction, proof by** 15(*)**control,**

CPU, simple CPU 142(*)

unit 20

PDA 177

standard TM 210

TM 118

variable 144 474

controllers 406**convolution,**

Boolean,

circuit size 419

function, circuit size lower bound 422

as Borodin-Cook lower-bound method,
application 505(*)

complexity of fast algorithm 270

FFT-based algorithm 269

and 263(*)

function 268

I/O time bounds 553

space-I/O time tradeoffs 552(*)

systolic arrays and 28

theorem 268(*)

wrapped 276 473(*), 474 505

space-time lower bound 505

Conway, L. 323 613 615**Conway, L. A.** 601**Cook, S. A.** 72 88 152 323 389 390 497 504

526 527 528 606 607 608

Cooley, J. W. 279 608**Coppersmith, D.** 245 278 608**corollaries,**area lower bounds, for independent
functions, (12.8.1) 598Boolean convolution function circuit size
lower bound, (9.6.1) 422containment between time-bounded
complexity classes, (8.5.2) 341distinguishable functions, space-time lower
bound for, (10.11.1) 500

existence of languages not in P, (8.6.1) 343

FFT decomposition, (6.7.1) 267

FSM, minimal-state, characterization of,
(4.7.1) 174**corollaries (cont.)**Grigoriev's lower-bound method, (10.4.1)
471I/O complexity bounds, multi-level, (11.4.1)
539languages, accepted by NDTM accepted by
DTM, (5.2.1) 216matrix multiplication function, vis-a-vis
transitive closure, (6.4.1) 250nondeterministic space classes closed under
complements, (8.6.2) 346

Savitch's Theorem, (8.5.1) 340

separator theorem for trees, (9.2.1) 397

space-time product lower bound for
independent functions, (10.4.1)
471time-bounded and space-bounded
complexity class relationships,
(8.5.2) 341Turing machine time lower bounds, (3.9.1)
128**counter,**

incrementing/decrementing 148

modulo-p 148

counting,

binary trees 78

function 75

CPU (central processing unit) 19 110

booting 141

circuit size and depth 146(*)

control, simple CPU 142(*)

simple,

design 111 137(*)

instructions 140

micro-instructions 142

microcode 142

registers 138

timing, simple CPU 142(*)

CRCW (Concurrent Read/Concurrent**Write) PRAM** 313

computing Boolean functions on 314

simulation by EREW PRAM 314

CREW (Concurrent Read/Exclusive Write)**PRAM** 313

circuits,

and 317(*)

equivalence 376(*), 379

simulation by 377

P-complete problems 380

CREW (Concurrent Read/Exclusive Write)
PRAM (cont.)
realization of log-space transformations on
380
crossbar network 289
crossing-sequence argument 596
cryptography,
brief history 7
Csanky, L. 279 609
Csanky's algorithm 262
fast matrix inversion with 260
Csirik, J. 620
Culler, D. E. 323 609
cycle(s) 10
cube-connected, *See* CCC
fetch-and-execute 20
inside of the 590
cyclic shifting 474(*)
circuit 49
efficient branching programs for 496(*)
functions 48 474
circuits for 50
independence properties 474
reductions between logical shifting
functions 51
space-time lower bound 475
on the hypercube 303(*), 304
reductions, between logical and 50(*)
Cypher, R. 323 609

D

DAG (directed acyclic graph) 10
adjacency matrix relationship 248
circuits 238
convolution theorem, FFT application 269
logic circuit as a 16
maximal path length 249
space upper bounds 483
DAM (directed acyclic multigraph) 489
data-dependent computation,
branching programs 488
dataflow computer,
circuit simulation by 283
decidable languages 223(*), 225
standard TM 210
decimal,
standard representation 8
decision,
binary decision diagram 490

decision (cont.)
branching program 489
problems 328
classification of 334(*)
complement of 329
language complements and 329(*), 330
regular languages, algorithms 171
tree 489
multiway 561
decoder 53(*)
function 53
circuit for 54
definitions,
basis,
measure 397
of a circuit 38
big,
Oh notation, $O(\cdot)$ 13
Omega notation, $\Omega(\cdot)$ 13
Theta notation, $\Theta(\cdot)$ 13
bilinear form 420
block I/O model 557
Boolean,
convolution function 419
function class 400 403
matrix multiplication 422
branching program 489
space on 490
BTM 559
central slice 435
Chomsky normal form 187
circuit 38
depth 40 394
depth with fan-out s 394
family 373
family, log-space uniform 373
planar circuit size 586(*)
size 40 393
size with fan-out s 393
communication,
complexity, of a communication game
437
complexity, VLSI 596
commutative rings 264
complete problems 351
complexity,
class 334
class, complements 343

- definitions (cont.)**
- complexity (cont.)**
- communication, of a communication game 437
 - communication, VLSI 596
 - computation on a branching program 489
 - configuration,
 - graph 218
 - k-tape TM 218 - decision problems and their languages 328
 - depth, circuit 40
 - derivation, phrase-structure grammar 182
 - DFSM 154
 - equivalence classes 176
 - $(\phi, \lambda, \mu, \nu, \tau)$ -distinguishability 497 - DTM 119
 - language in P 120 - equivalence,
 - classes 172 - relation, DFSM 172
 - relation, for a language 172
 - relation, refinement 173
 - relation, right-invarian 172
 - right-invariant, for a language 173
 - states 175
- expressions, regular 158
- final state, FSM 92
- formula, size 394
- FSM,
- computational work on 96
 - next-state function 92
 - output alphabet 92
 - output function 92
- functions,
- advice 382
 - computed by straight-line programs, 38
 - next-state, FSM 92
 - pairing 382
 - partial recursive 232
 - polynomial advice 382
 - primitive recursive 231
 - proper 330
 - reductions between 46
 - symmetric 74
- general branching program 490
- goal, communication game 437
- grammar,
- context-free 183
 - context-sensitive 183
 - phrase-structure 182
 - regular 184
- definitions (cont.)**
- hard problems 351
- hierarchical memory model 563
- I/O,
- operation 559
 - operations, simple 560
 - time 559
- immediate derivation, phrase-structure grammar 182
- implicants 417
- (α, n, m, p) -independent function 469
- induction hypothesis 15
- initial state, FSM, 92
- input alphabet, FSM 92
- Kronecker product 503
- language,
- CIRCUIT SAT 132
 - CIRCUIT VALUE 130
 - context-free 183
 - context-sensitive 183
 - FAN-OUT TWO CIRCUIT SAT language 150
 - in NP 120
 - in P 120
 - MONOTONE CIRCUIT VALUE 150
 - P-complete 130
 - phrase-structure 182
 - recognition, FSM 92
 - regular 158 184
 - SATISFIABILITY 132
- matrix,
- multiplication ring operations 245
 - nice and ok 501
- monotone,
- communication game 441
 - function replacement rule 418
- multigraph 489
- multiplication, smallest circuit 67
- n -indistinguishable 175
- NC languages 380
- NDTM 120 214
- language in NP 120
- NFSM 154
- non-terminals, phrase-structure grammar 182
- notation,
- big Oh, $O(\)$ 13
 - big Omega, $\Omega(\)$ 13
 - big Theta, $\Theta(\)$ 13
- P and NP,**
- complete problems 352

- definitions (cont.)**
- P and NP (cont.)
 - problems 335
 - P/poly** languages 383
 - permutation 74
 - planar circuit size 586(*)
 - programs, straight-line 38
 - proof by contradiction 15
 - protocol, communication game 437
 - reducibility 226
 - reduction,
 - between functions 46
 - via subfunction relationship 46
 - regular,
 - expressions 158
 - languages 158
 - sets 158
 - rings 239(*)
 - S-span of a DAG 537
 - set,
 - neighborhood 408
 - of states, FSM 92
 - regular 158
 - size, circuit 40
 - slice functions 431
 - space-bounded complexity classes 338
 - SPD matrices 253
 - start symbol, phrase-structure grammar 182
 - straight-line programs 38
 - functions computed by 38
 - subfunctions 46
 - reductions via 46
 - superconcentrator 485
 - terminals, phrase-structure grammar 182
 - time-bounded complexity classes 337
 - TM,
 - canonical encoding 221
 - configuration 218
 - standard 210
 - transformation 348
 - and complexity class relationships 350
 - classes 350
 - transitive,
 - closure, phrase-structure grammar 182
 - transformations 350
 - unique elements 514
 - universal 114
 - vertex-disjoint 485
 - w(u,v)-flow 469
- degree,**
- in 10
- degree (cont.)**
- out 10
- Dekel, E.** 323 609
- Demetrovics, J.** 620
- DeMorgan's rules,**
- Boolean expressions 41
- demultiplexer** 55(*)
- dependent variables** 399
- depth,**
- circuit 11 35 40 239 394 436(*)
 - basis change effect on 396(*)
 - bounded 448(*)
 - errors with b -approximator of 448
 - formula size vs 396(*)
 - in a simple CPU 146(*)
 - monotone communication game
 - relationship, 441
 - relationship between formula size and 397
 - simple lower bounds on 400
 - with fan-out s 394
- communication complexity,
- relationship 438 (*)
- lower bound, for most Boolean functions 79
- monotone,
- clique function 442(*)
 - communication complexity relationship 440(*)
- upper bound, for all Boolean functions 80
- derivation** 181
- immediate 182
 - leftmost 186
 - parsing 186
 - rightmost 186
- descending algorithms** 301 306 307
- designing,**
- circuits 36(*)
- deterministic,**
- FSM, *See* DFSM
 - PDA 177
 - Turing machine, *See* DTM
- DFSM (deterministic finite-state machine)** 98
- 154
 - See also*, FSM; NFSM
 - equivalence relation 172
 - languages accepted by, same as languages
 - accepted by NFSMs 156
 - minimal, equivalence relation 177
 - NFSM equivalence 156

- DFT (discrete Fourier transform)** 263 264 (*)
 as Borodin-Cook lower-bound method,
 application 513(*)
 independence properties 479
 inverse 265
 space-time,
 lower bounds 480 513
 product 479(*)
 vector-matrix product 513
- diagonalization** 225
- diagram,**
 binary decision 490
 state 18 30
 FSM 21
- diameter,**
 graph, network 287
- Díaz, J.** 389 606
- difference,**
 languages 170
 sets 7
 symmetric, between sets 234
- diffusion model,**
 VLSI 579
- Ding-Zhu, Du** 618
- directed graph** 10
- directed multigraph** 489
- discrete Fourier transform,**
See, DFT
- disjoint sets** 7
- $(\phi, \lambda, \mu, \nu, \tau)$ -distinguishability property** 497
- distinguishability properties,**
 flow property relationship to 500
 matrix multiplication 509
 matrix-vector product 508
 $(\phi, \lambda, \mu, \nu, \tau)$ 497
 unique elements 515
- distributed,**
 computing, brief history 6
 memory computer 284 285
 routing in 309
 shared memory computer 285
- distributive laws** 41
- distributivity,**
 Boolean expressions 42
- divide-and-conquer,**
 multiplier, circuit for 67
 strategies, trees 288
- division,**
 of integers 68
 reciprocal and 68
- domain,**
- of a function 11
- dominant terms,**
 as rate of growth indicator 13
 big Oh notation, $O(\cdot)$ 13
 big Omega notation, $\Omega(\cdot)$ 13
 big Theta notation, $\Theta(\cdot)$ 13
- doped layer** 576
- doping** 576
- DTM ACCEPTANCE language 354
- DTM (deterministic Turing machine),**
 language acceptance 333
 language in P 120
 multi-tape 333
 P problems 335
 polynomial-time 330 374(*)
 recursive language 333
 simulation of RAM 332
 standard 118 210(*)
- dual-rail logic** 84
- Duff, I. S.** 613
- Dunne, P. E.** 89 457 458 609
- Ďuriš, P.** 603 609
- dyadic unate basis** 392
- dynamic programming algorithm** 165
- E**
- Earley, J.** 207 609
- Eckert** 4
- Eckstein, D. M.** 323 609
- edge(s)** 10
- Edmonds, J.** 330 609
- efficiency,**
 PRAM 290
- eigenvalues** 261
- eigenvector** 261
- electronic lock** 148
- elementary symmetric functions** 74
- elimination method,**
 gates,
 for circuit size 400(*)
 general circuits 400
 Gaussian 274
 paths, monotone circuits, lower bounds
 derivation 413(*)
- embedding,**
 1D arrays in 2D meshes 297(*)
 arrays in hypercubes 299(*)
 graph, problem 289
- empty,**

- set, acceptance problem 229
 string 181
- empty (cont.)**
 tape acceptance problem 228
- emulation** 147(*)
- encoder** 51(*)
 circuit 52
 function, circuit for 52
- encoding**,
 canonical, of TM 221
 string, TM and 222(*)
 unary 383
- end-of-tape marker** 210
- endpoint**,
 set 426
 size 426
- ENIAC** 4
- enumeration tape** 215
- equivalence**,
 class 10 172
 DFSM and NFSM 156(*)
 regular expressions 159
 relations 10 172
 DFSM 172
 on languages 171(*)
 on states 171(*)
 refinement 173
 right-invariant 172
 right-invariant 173
 states 175
- ERCW (Exclusive Read/Concurrent Write)**
PRAM 313
- EREW (Exclusive Read/Exclusive Write)**
PRAM simulation 313
 by hypercube network 317
 CRCW PRAM 314
 of normal algorithm 313
- error function** 451
- Evey, J.** 207 609
- EXACT COVER language** 360
- exclusive access**,
PRAM 312
- existential quantification** 365
- expansion**,
 series, Taylor 73
 sum-of-products 44
- exponential**,
 functions 13
- exponential (cont.)**
 size, bounded-depth parity circuits 448 450
 time, polynomial time compared with 330
- expressions**,
See, regular expressions
- EXPTIME class** 337
 complexity class relationships 341
- extreme tradeoffs** 466(*), 467
- F**
- face**,
 planar graph 590
- factorization**,
 prime 87
 Schur 254(*)
- Faddeev, D. K.** 279 609
- Faddeeva, V. N.** 279 609
- fan-in**,
 circuit 38
 of a basis 392
 trees 394
- fan-out**,
 circuit 38
 size impact 394(*)
 reduction 150
 construction used for 215
- fan-out-1 circuit** 392 393
 relationship to formula size 394
- fast Fourier transform**,
See, FFT
- feasible** 381
 problems 335
- Feig, E.** 573 606
- fetch-and-execute cycle** 20 110 138 139(*)
- FFT (fast Fourier transform)**,
 algorithm 266(*), 267 301
 convolution and 263(*)
 circuit 266
 convolution application 269
 decomposition 267
 graph,
 butterfly 238
 decomposition 267 548
 pebbling 463
 pebbling of 25
 with column numberings 302
- I/O time bounds,
 in red-blue pebble game 547
 MHG 549 551

FFT (fast Fourier transform) (cont.)
 lower performance bounds 565
S-span 546
 space-I/O time tradeoffs 546(*)
 straight-line program for 238

Fich, F.528 607

field274

FIFO (first-in, first-out),
 LRU analysis relative to 568
 page-replacement algorithm 568

final state92 154

fine-grained parallel computers283 284

finite,
 functions 12
 language 9

finite-state machine,
See, FSM

first order linear recurrence86

Fischer, C. N609

Fischer, M. J.152 456 528 607 609 613 616

flip-flop109

floor function13

FLOP (floating point operations per second)282

flow properties,
 distinguishability property relationship to 500
 functions 469(*)
 matrix multiplication 477

Flynn, M. J.323 609

Flynn's taxonomy,
 parallel computers 285

form,
 bilinear 420
 semi-disjoint 420
 semi-disjoint, replacement rule 420

formal,
 computational models 4
 languages 4 21
 brief history 5
 Chomsky language hierarchy 5

formula,
 fan-out-1 circuit 392 393
 size 394
 bounds on 397
 circuit depth vs 396(*)
 fan-out-1 relationship 394
 lower bounds for 404(*)
 over two different bases 399

Fortune, S.323 390 609

Foster, M. J.601 609

Fourier,
See, DFT; FFT

Fraleigh, J. B.609

Friedman, J.456 610

FSM (finite-state machine)92(*)
See also, DFSM; NFSM
 adder 108
 adding two binary numbers 101
 bounded,
 circuits and 96(*)
 brief history 5
 (chapter) 153(*)
 choice input 99
 circuit,
 compared with 94
 computation equivalence 96
 for 23
 simulation of 95
 computational,
 inequalities 95(*), 95
 model 18(*)
 work on 96
 computing exclusive or of its inputs 93
 decision problems, algorithms 171
 deterministic 98
 equivalence of DFSM and NFSM 156(*)
 exclusive or computation 97
 functions computed by 22 94(*), 95
 interconnection 97
 language,
 are regular 185
 association with 173
 described by regular expressions 164
 recognition by 22
 minimal algorithm for 175(*), 176
 models 154(*)
 nondeterministic 98(*), 154
 PDA control unit as a 177
 pumping lemma for 168(*)
 RAM as 111(*)
 regular expressions,
 recognition by 160(*)
 relationship with 158
 regular language recognition by 184
 ripple adder simulation by 107
 simulating with shallow circuits 100(*)
 state-diagram 21
 synchronous 97
 circuit simulating 98
 interconnection of 97(*)

FSM (finite-state machine) (cont.)

TM,
 control unit as 118
 relationship 217
 tape unit as 118
 universal RAM for 114
 VLSI chip design use 27

full adder 59
 carry-save adder realization by 64
 circuit 18

full two-input basis 392

fully normal algorithms 301 306
 on 2D arrays 307

function(s) 10 11
 addition 58 60 231
 advice, polynomial 382
 binary 12 39
 tree circuits for 78
 Boolean 12
 algebraic properties of 40(*)
 circuit-size lower bound for most 77
 circuit-size upper bound for all 82
 class 400 403
 class $Q_{2,3}^{(n)}$ 401
 complex 77(*)
 computing on CRCW PRAM 314
 depth lower bound for most 79
 depth upper bound for all 80
 (k, s) -Lupanov representation in 81
 logic gate implementation of 16
 maxterm of 43
 minterm of 42
 negations 409(*), 410 411
 sum of 44

carry-generate 103
 carry-propagate 103
 carry-terminate 103

ceiling 13

characteristic 13 375

circuits that compute 39(*)

comparator 270

complete 11 119

composition 231

computation, by standard TM 210

computed by,
 circuit 38(*), 392
 DTM 119
 FSM 22 92 94(*), 95
 straight-line program 38
 TM 230(*)

domain 11

function(s) (cont.)

error 451
 exponential 13
 finite 12
 floor 13
 implication 410
 linear 13
 logarithmic 13
 monotone 85 392 418
 naming 16
 next-set 154
 next-state 18
 DFSM 154
 DTM 119
 NDTM 120
 RAM 120
 standard TM 210
 output 18
 pairing 382
 partial 11
 DTM 119 333
 recursive 231 232 233(*)
 standard TM 210

polynomial, as real number functions 13

predecessor 232

prefix 55
 parallel, circuit for 57
 primitive recursive 231(*)
 projection 231
 proper subtraction 232
 punctured threshold 410
 quadratic 14
 range 11
 rate of growth 13(*)
 real number use by 12
 realizing subfunction of 47
 reductions between 46(*)
 semi-disjoint 421
 slice 431(*)
 space-bounded 342(*)
 successor 231
 superpolynomial 330
 symmetric 74(*)
 total 210
 transition 212
 truth table 12 40
 zero 231

Furst, M. 459 610

G

Gabarrò, J.389 606
Galil, Z.389 457 603 609 610 615
game(s),
 communication,
 complexity of 437
 monotone 441 442
 geography 369
 I/O limited 531
 memory-hierarchy pebble 533(*)
 rules 533
 monotone communication, adversarial
 strategy 447
 on graphs, PSPACE-complete problems
 relationship 365
 pebble 24 25
 basic lower bounds method 470
 branching program comparison with 493
 brief history 6
 lower bounds 470(*)
 playing 463(*)
 red-blue 26 530(*), 532(*), 542
 space–time tradeoff analysis with 461
 worst-case tradeoffs 483(*)
 universal vs existential 369
gap theorem316 337
Garey, M. R.389 610
Gaskov, S. B.89 610
gate(s)392
 circuit 38
 logic 16
Gaussian elimination274
 GENERALIZED GEOGRAPHY language370
Gentleman, A. M.323 610
geography game369
Gécseg, F.620
Gibbons, A.323 610
Gilbert, E. N.457 610
Gilbert, J. R.526 610
global routing networks310(*)
Goldmann, M.458 610
Goldschlager, L. M.323 389 390 610
grammar181
 context-free 22 183
 Chomsky normal form 187
 context-sensitive 183
 phrase-structure 182
 regular 153 184
graphs,
 bipartite 467

graphs (cont.)

bisection width, network 287
 butterfly,
 as ascending algorithm 301
 comparator network replacement with
 273
 FFT 238
 network 289
 circuit as 37
 configuration 218 334
 diameter, network 287
 directed,
 adjacency matrix relationship 248
 paths 249
 directed acyclic 10
 circuits 238
 logic circuit as a 16
 embedding problem 289
 FFT 463
 hypercube 288
 inner product 541
 mesh 288
 path in a 10
 pizza pie 600
 pyramid 465
 pebbling 466
 trees 288
 undirected 10
Greenlaw, R.389 390 610
grep command168(*)
Grigoriev, D. Yu.471 527 610
Grigoriev's lower-bound method468(*), 470
 471 472(*)
Guibas, L. J.601 602 610

H

H-tree VLSI chip layout581(*)
 matrix-vector multiplication 582(*)
 prefix computation on 583(*)
Hagerup, T.323 606
Haken, A.457 610
 HALF-CLIQUE CENTRAL SLICE,
 function 435
 language 435
HALT (halt register)111
 simple CPU design spec 138
halt state,
 DTM 119
 TM, nondeterministic 120

- halting,**
 problem 227 228
- halting (cont.)**
 program 113
 HAMILTONIAN PATH language 387
- Harper, L. H.** 456 610
- Hartmanis, J.** 336 389 610 611
- Håstad, J.** 458 459 610
- Hatcher, P. J.** 323 611
- Heideman, M. T.** 279 611
- height, parse tree** 186
- Heintz, C. A.** 603 611
- Hennessy, J.** 532 611
- Herley, K. T.** 323 607
- Hewitt, C. E.** 526 573 616
- hierarchy,**
 Chomsky 5 182
 memory,
 HMM 562(*)
 tradeoffs, (chapter) 529(*)
 space 336(*)
 time 336(*)
- Hillis, W. D.** 323 611
- history of theoretical computer science** 4(*)
- HMM (hierarchical memory model)** 562(*)
 cost of problems in 565
 lower bounds 564(*)
 upper bounds 567(*)
- Hochschild, P.** 602 611
- Hockney, R. W.** 322 611
- Hodes, L.** 456 611
- Hong, J.-W.** 537 573 611
- Hong-Kung lower-bound method** 537(*)
- Hoover, H. J.** 72 88 389 390 455 606 610 611
- Hopcroft, J. E.** 207 236 278 279 389 526 605
 611
- Horn clause** 385
- Hromkovič, J.** 603 611
- Huffman, D. A.** 207 611
- hypercube(s)** 288
 based machines 298(*)
 broadcasting on 303(*)
 cycle shifting on 303(*)
 embedding arrays in 299(*)
 fast matrix multiplication on 308(*)
 normal algorithms 301(*)
 PRAM simulation 313(*), 315(*)
- sorting algorithm** 302
- summing on** 302(*)
- I**
- I/O (input/output)** 26
 block 557
 in the MHG 555(*)
 bounded problem 540
 bounds, matrix-vector product 539
 capacity 532
 complexity 563
 bounds 539
 brief history 6
 I/O time bounds 535
 limited,
 game 531
 memory hierarchy game 533
 models,
 block-transfer 559(*)
 RAM-based 559(*)
 operations 26 559
 pebbling strategy 531
 simple 560
 pads, VLSI layout 577
 time 559
 MHG 534
 pebbling strategy 531
 space tradeoffs 24(*), 539(*), 541(*),
 546(*), 552(*)
- time bounds** 536
 for convolution 553
 for FFT 547 551
 in MHG 544 549
 red-blue pebble game 537 542
- ideal PRAM** 312
- idempotence, semirings** 252
- identities,**
 matrix 240
 regular expressions 160
 rings 239
- Immerman, N.** 389 611
- Immerman-Szelepcényi theorem** 344
- implicant** 417
- implication function** 410
- impossibility theorem** 24 95 96
- in_wrd** 110
- in-degree** 10
- incrementing/decrementing counter** 148
- independence properties,**
 cyclic shifting functions 474
 DFT 479
 matrix multiplication 470
 wrapped convolution 473

- INDEPENDENT SET language**357
indirect storage access function404 407
induction15(*)
inequalities,
 computational 23(*), 95
 for FSM 95(*)
 for interconnected FSMs 97
 for random-access memory 117(*)
 for TM 127(*)
 RAM 118
 VLSI chips 587(*)
 Markov's 515
initial state92 214
 DFSM 154
 DTM 119
 NDTM 120
 PDA 177
 TM, standard 210
initialization,
 red-blue pebble game 530
inner product241
 graphs, pebbling 472
 matrix multiplication 242
 alphabet 92
 choice 99
 NDTM 120
 operation, red-blue pebble game 530
 vertex 10
INR (input register)111
 simple CPU design spec 138
insertion sorting network270
instruction,
 assembly language 112
 direct memory 140
 indirect memory 140
 set, simple CPU 140(*)
 variable 143
integer(s),
 addition function 231
 INTEGER PROGRAMMING language 362
 multiplication 475(*)
 algorithm 63
 binary function, space-time lower bound 475
 function 232
 function, space-time lower bound 475
 space-time lower bound 507
 representation 8 58
integrated circuits575
interconnection, synchronous FSM97(*)
interleaved random-access memory556
- interrupt**139
intersection,
 CFL, not closed under 199
 languages 170
 sets 7
inversion,
 DFT 265
 matrix 243 252(*)
 algorithm 260
 Borodin-Cook lower-bound method
 application 511(*)
 Csanky's algorithm 262
 fast 260(*)
 function, reduction from matrix
 multiplication to 253
 function, triangular matrices 256
 non-singular 243
 reduction to SPD matrix inversion 254
 space-time lower bound 512
 rings 239
 triangular matrices 255(*)
isomorphism,
 DFSM, conditions for 174
Iverson, K.323 611
- J**
- JáJá, J.279 323 527 602 611
 Jesshope, C. R.322 611
 Johnson, D.455 611
 Johnson, D. H.279 611
 Johnson, D. S.388 389 610 612
 Johnson, R. B.603 612
 Jones, N. D.389 612
jump value,
 for space 483
Juurlink, B. H. H.323 612
 (k, s) -Lupanov representation80 82
- K**
- Karatsuba, A.88 612
 Karchmer, M.458 612
 Karlin, A. R.323 612
 Karp, R. M.88 152 323 388 389 390 609 612
 Kasami, T.207 612
 Kedem, Z. M.602 612
 Khachian, L. G.353 389 612
 Khang, S. M.601 622
 Khasin, L. S.456 612

Kirkpatrick, D. G. 528 607
Klawe, M. M. 455 528 611 612
Kleene,
 closure 9 158
 CFL closed under 198
 NFSM acceptance of 163
 star 158
Kleene, S. C. 236 612
Kloss, M. 456 612
Knuth, D. E. 32 279 323 613
Kohavi, Z. 611
Komlós, J. 274 456 457 606
Koutsoupias, E. 456 613
Krapchenko lower bound 407(*)
Krapchenko, V. M. 88 456 613
Krichevskii, R. E. 456 613
Kronecker product,
 nice matrices 503
 three-matrix product in terms of 511
Kumar, V. K. P. 602 611
Kung, H. T. 323 537 573 601 602 606 608
 609 610 611 612 613 617 618
Kuroda, S. Y. 207 613

L

L^2 decision problem 338
L decision problem 338
Laaser, W. T. 389 612
Ladner, R. E. 152 389 613
Lamagna, E. A. 457 613
Landweber, P. S. 207 613
language(s) 181
 2-SAT 363
 3-SAT 356
 3-COLORING 359
 ACCEPTANCE 215
 BY NDTM AND DTM 215 216
 DTM 119 333
 LIMITS 223(*)
 NDTM 120 333
 ALTERNATING QUANTIFIED
 SATISFIABILITY,
 PSPACE-complete language 369
 assembly 112 140(*)
 instructions 112
 associated with a decision problem 329
 CFL, Chomsky normal form 187

language(s) (cont.)

CIRCUIT SAT 132 355
 CIRCUIT SATISFIABILITY 128
 CIRCUIT VALUE 128 130 131 352
 closed under an operation 170
 complements 170 329(*), 330
 complete 130(*)
 context-free 22 153 183(*)
 closure properties 198(*)
 parsing 186(*)
 PDA acceptance 192(*)
 context-sensitive 182 183(*)
 decidable 223(*)
 decision problems relationship to 328(*)
 difference between 170
 DTM ACCEPTANCE 354
 efficiently parallelizable 380(*)
 element distinctness 233
 equivalence relations on 171(*)
 EXACT COVER 360
 existence of languages not in **P** 343
 finite 9
 formal 21 181(*)
 Chomsky language hierarchy 5
 FSM,
 described by regular expressions 164(*)
GENERALIZED GEOGRAPHY 370
HALF-CLIQUE CENTRAL SLICE 435
HAMILTONIAN PATH 387
INDEPENDENT SET 357 358
 infinite 9
 INTEGER PROGRAMMING 362
 intersection of 170 171
 LINEAR INEQUALITIES 353
 machine 140
 MONOTONE CIRCUIT VALUE 150 353
 NAESAT 353 356
NC 380
 NDTM machine recognition 215
 non-recursively enumerable 224
NP 26 120
 condition for **P** = **NP** 130
 relationship to NDTM 26
NP-complete,

- language(s) (cont.)**
- NP-complete (cont.)**
 - brief history 5
 - reduction to 132(*)
 - NSPACE**, recognition by uniform circuit family 375
 - P** 120
 - condition for $P = NP$ 130
 - P-complete**,
 - brief history 5
 - log-space reduction 131
 - reduction to 130(*)
 - P/poly** 382(*), 383
 - phrase-structure 182 182(*), 219(*)
 - are recursively enumerable 220
 - recursively enumerable languages are 219
 - programming, brief history of 4
 - properties, context-free 197(*)
 - QUANTIFIED SATISFIABILITY 365 366 367
 - recognition 215
 - by FSM 22 92 154
 - by TM 210
 - (chapter) 153
 - DFSM 154
 - NFSM 154
 - TM 119
 - recursive 210
 - DTM 333
 - recursively enumerable 210 223 224(*)
 - as Chomsky hierarchy component 5
 - but not decidable 225(*)
 - phrase-structure relationship 219 220
 - reducibility 226(*)
 - regular 22 153 158 170(*), 184(*)
 - as Chomsky hierarchy component 5
 - conditions for 174(*)
 - conditions for finite and infinite 169
 - machine type that corresponds to, (table) 182
 - SATISFIABILITY 132 133 353 356
 - strings and 9(*)
 - SUBSET SUM 361
 - TASK SEQUENCING 361
 - undecidable 228 229 230
 - unsolvable 223
 - verification of 121
 - latency** 26 284
 - layout, VLSI** 577(*)
 - $L D L^T$ factorization of SPD matrices** 257(*)
 - Le Blanc, Jr., R. J.** 609
 - Lehman, P. L.** 601 614
- Leighton, F. T.** 323 603 613 614
- Leiserson, C. E.** 323 601 613
- lemmas**,
- approximator circuits,
 - on negative test inputs, (9.6.6) 427
 - on negative test inputs, (9.6.7) 428
 - positive test inputs, (9.6.8) 429
 - basis change effect on circuit size and depth, (9.2.3) 396
 - binary trees,
 - longest path length, (11.9.1) 565
 - longest path length for sorting, (11.8.1) 560
 - number of unlabeled, (2.12.2) 78
 - Boolean,
 - function negations, circuits for, (9.5.1) 410
 - matrices, powers of, (6.4.1) 248
 - matrix multiplication by monotone circuits, (9.6.3) 423
 - matrix multiplication on monotone circuits, (9.6.4) 423
 - branching program,
 - pebble-game lower bound from, (10.9.3) 494
 - RAM lower bound from, (10.9.4) 494
 - ST lower bound for, by reductions, (10.11.2) 500
 - circuits,
 - for cyclic shifting, (2.5.1) 50
 - for demultiplexer function, (2.5.6) 55
 - for multiplexer function, (2.5.5) 55
 - for next-state/output functions, (3.5.1) 120
 - size bound for indirect storage access function, (9.4.1) 405
 - size, relationship between planar and standard, (12.6.1) 586
 - class $Q_{2,3}^{(n)}$ of Boolean functions, (9.3.1) 401
 - clique function, positive test inputs for, (9.6.5) 425
 - clique lower bound technical lemma,
 - (9.7.3) 445
 - (9.7.4) 446
 - (9.7.5) 446
 - communication complexity no more than depth, (9.7.1) 438
 - commutative rings,
 - example, (6.7.1) 264
 - example, (6.7.2) 264

lemmas (cont.)

- comparator-based merging networks,
 - disjoint paths in, (10.5.5) **481**
- counting, function, circuit for (2.11.1) **75**
- CREW PRAM simulation by circuits,
 - (8.14.1) **377**
- cyclic shifting independence properties,
 - (10.5.2) **474**
- decoder function, circuit for, (2.5.4) **54**
- decomposition of trees into subtrees, (9.2.4) **397**
- depth no more than communication complexity, (9.7.2) **439**
- DFT,
 - independence properties, (10.5.4) **479**
 - vector-matrix product is $1/4$ -ok, (10.13.5) **513**
- distinguishability properties,
 - flow property relationship to, (10.11.1) **500**
 - wrapped convolution, (10.13.1) **505**
- encoder function, circuit for (2.5.3) **52**
- errors with,
 - b -approximator of, (9.7.6) **448**
 - \sqrt{n} -approximator of parity, (9.7.7) **450**
- fan-out-1 circuits and formula size,
 - relationship between, (9.2.2) **394**
- FFT decomposition, (6.7.4) **267**
- functions,
 - cyclic shifting, circuit for, (2.5.1) **50**
 - cyclic shifting, reductions between logical and (2.5.2) **51**
 - realizing subfunction of, (2.4.1) **47**
- I/O time bounds, reductions between, (11.3.2) **536**
- inverse DFT, (6.7.3) **265**
- Kronecker product of nice matrices, (10.12.2) **503**
- lower bounds, indirect storage access function, (9.4.2) **407**
- matrix,
 - multiplication distinguishability properties, (10.13.3) **509**
 - multiplication, flow properties, (10.5.3) **477**
 - multiplication, independence properties of, (10.4.1) **470**
 - multiplication, S -span for, (11.5.1) **541**
 - nice (10.12.1) **501**
 - product, inverting, (6.2.1) **243**

lemmas (cont.)

- matrix (cont.)**
 - vector product distinguishability properties, (10.13.2) **508**
- maximal path length in DAG, (6.4.2) **249**
- monom removal, (9.6.1) **418**
- normal-form branching programs equivalent to general ones, (10.9.2) **492**
- pebbling,
 - balanced binary trees, (10.2.1) **465**
 - pyramid graph, (10.2.2) **466**
- pigeon-hole principle, (1.3.2) **16**
- planar circuit, size lower bounds for
 - independent functions, (12.7.1) **593**
- planar separator theorem,
 - conditional, (12.6.2) **590**
 - multi-set, (12.6.4) **592**
 - two-cost, (12.6.3) **592**
- PRAM and log-space uniform circuit
 - relationship, (8.14.2) **378**
- proof by induction example, (1.3.1) **15**
- pumping **153**
 - application of, (4.13.2) **198**
 - CFL, (4.13.1) **197**
 - finite and infinite regular languages, (4.5.2) **169**
 - regular languages (4.5.1) **169**
- QUANTIFIED SATISFIABILITY language,
 - log-space hard, (8.12.2) **367**
 - PSPACE**-complete, (8.12.1) **366**
- realization of log-space transformations on CREW PRAM, (8.14.3) **380**
- realizing subfunction of a function, (2.4.1) **47**
- reduction,
 - between logical and cyclic shifting functions, (2.5.2) **51**
 - from matrix multiplication to matrix inverse, (6.5.1) **253**
 - of matrix inversion to SPD matrix inversion, (6.5.2) **254**
 - of shifting to multiplication, (2.9.1) **68**
 - of squaring to reciprocal function, (2.10.1) **73**
 - use of, (5.8.1) **227**
- regular languages, conditions for finite and infinite, (4.5.2) **169**
- replacement rule semi-disjoint bilinear form, (9.6.2) **420**
- rooted tree fan-in, properties of, (9.2.1) **394**

lemmas (cont.)

- S*-span for FFT, (11.5.2) 546
- Schur complement of SPD matrix is SPD, (6.5.3) 255
- simple I/O time lower bounds, (11.3.1) 535
- simulation of decision branching programs by general branching programs, (10.9.1) 491
- slice functions, representation, (9.6.9) 431
- squaring function, (2.9.2) 68
- states, equivalence relation refinement, (4.7.1) 175
- superconcentrator,
 - linear-size, existence of, (10.8.1) 485
 - technical lemma on, (10.8.2) 486
 - technical lemma on, (10.8.3) 486
- three-matrix product in terms of Kronecker product, (10.13.4) 511
- tree circuit, for binary functions, (2.12.1) 78
- unique elements,
 - distinguishability properties, (10.13.7) 515
 - technical lemma, (10.13.6) 514
- unsolvability, (5.8.1) 227
- wrapped convolution,
 - distinguishability properties, (10.13.1) 505
 - independence properties, (10.5.1) 473

Lengauer, T. 482 526 528 601 602 610 614**length,**

- path 10
- strings 9

Leon, S. J. 614**level,**

- multigraphs 492

Leverrier's theorem 261**Levin, L. A.** 88 389 614**Lewis, H. R.** 236 389 614**Lewis II, P. M.** 389 610**lexical analysis** 181**lexicographical order** 222**Li, Ming** 618**Liang, F. M.** 602 610**linear,**

- arrays 292 293(*), 294 304(*)
- bounded automaton 182 204
- combination, matrix 242
- equation systems 241 242 262(*)
- equations, solutions 263
- functions, as real number functions 13

linear (cont.)

- independence, matrix 243
- recurrence, first order, of length n 86
- LINEAR INEQUALITIES language,
 - inequalities 353
- Lingas, A.** 526 614
- Lipton, R. J.** 601 602 612 614
- list,**
 - adjacency 30
 - ranking problem 321
- literals,**
 - positive 385
 - SATISFIABILITY language 132
- load balancing** 56
- local routing networks** 309(*)
- locality of reference** 558
- log-space,**
 - computations 342
 - hard for **PSPACE**, QUANTIFIED SATISFIABILITY language 367
 - P-complete problems, justification for 352
 - programs 129
- PSPACE**-complete problems,
 - ALTERNATING QUANTIFIED SATISFIABILITY language 369
 - GENERALIZED GEOGRAPHY language 370
 - QUANTIFIED SATISFIABILITY language 367 369
- reduction** 131
- TM**, composition of 351
- transformations,**
 - on CREW PRAM, realization of 380
 - transitivity of 350
- uniform,**
 - circuits 373
 - circuits 374
 - PRAMs 377
- logarithm functions** 13
- logic,**
 - circuits 392
 - (chapter) 35(*)
 - computational model 16(*)
 - computational model, VLSI 579
- dual-rail** 84
- gate** 16
- mathematical, as foundation for theoretical computer science 4
- operations 48(*)
- logical shifting reduction** 50(*), 68
- LogP model** 317(*)

loosely coupled,

computer network 284

Loui, M. C. 526 528 614**lower triangular,**

matrix 240

LRU (least recently used) page-replacement algorithm 568**Luccio, F.** 618**Luk, W. K.** 602 614**Lupanov, O. B.** 89 614**Lynch, N. A.** 528 607**M****machine(s),**

language 140

programs 141

with memory,

See also FSM; PDA; RAM; Turing

machine

(chapter) 91(*)

main diagonal,

matrix 240

many-to-one reductions 227**mappings** 11

state-to-state 101

MAR (memory address register) 111

simple CPU design spec 138

marker,

end-of-tape 210

Markov's inequality 515**Maruoka, A.** 424 457 606**masks** 576**mathematical,**

logic, as foundation for theoretical computer

science 4

preliminaries 7(*)

matrix(s) 11 240(*)

addition function 242

adjacency 11 248

bad 504

block 243

Boolean, powers of 248

characteristic polynomial 260

circulant 244

decomposition 246

good 504

identity 240

inversion 252(*)

algorithm 260

matrix(s) (cont.)**inversion (cont.)**

Borodin-Cook lower-bound method

application 511(*)

Csanky's algorithm 262

fast 260(*)

function, reduction from matrix

multiplication to 253

function, triangular matrices 256

reduction to SPD matrix inversion 254

space-time lower bound 512

linear combination 243

lower triangular 240

main diagonal 240

multiplication 242 244(*), 477(*), 509

application to parsing CFL's 190

Boolean 244 422

Borodin-Cook lower-bound method

application 509(*)

family of inner-product graphs 541

fast, on a hypercube 308(*)

flow properties 477

independence properties of 470

on a 2D mesh 295(*)

on a hypercube 308

on linear arrays 294

reduction to matrix inversion 253

reduction to transitive closure 250

S-span for 541

size and depth bounds 247

space-time lower bound 472 479 511

space-I/O time tradeoffs 541(*)

standard algorithm 422

Strassen's algorithm 245(*), 247

three-matrix product space-time lower

bound 512

nice 501

Kronecker product 503

non-singular, inverse 243

ok 501

permutation 244 477

product, inverting 243

properties,

nice 501(*)

ok 501(*)

rank 243

scalar product 240

SPD 253(*)

 LDL^T factorization of 257

reduction of matrix inversion to 254

Schur complement is SPD 255

- matrix(s) (cont.)**
- square 240
 - standard matrix multiplication algorithm 242
 - symmetric 240
 - Toeplitz 243
 - trace 261
 - transitive closure 248
 - transpose 240
 - triangular, inversion of 255(*)
 - upper triangular 240
 - Vandermonde 265
 - vector product 241
 - Borodin-Cook lower-bound method application 507(*)
 - DFT 513
 - distinguishability properties 508
 - on a linear array 293(*)
 - on an H-tree 582(*)
 - space-I/O time tradeoffs 539(*)
 - space-time lower bound 508
 - zero 240
- Mauchly** 4
- Maurer, H. A.** 618
- maxterm** 43
- monotone 441
- McColl, W. F.** 602 614
- McCulloch, W. S.** 207 615
- McNaughton, R.** 207 615
- MDR (memory data register)** 111
- simple CPU design spec 138
- Mead, C. A.** 323 601 613 615
- Mealy, G. H.** 152 207 615
- Mealy machine** 200
- FSM 93
- Mehlhorn, K.** 323 457 458 601 602 606 614 615
- memory,**
- address 111
 - MAR, simple CPU design spec 138
 - sequence 568
 - bounded, RAM 19 111 122
 - distributed,
 - computer 285
 - routing in 309
 - shared, computer 285
 - fast, simulation in MHG. 558(*)
 - hierarchical models 562(*), 563
 - pebble game, *See* MHG
 - tradeoffs, (chapter) 529(*)
 - interleaved random-access 556
- memory (cont.)**
- locality of reference 558
 - machines with, (chapter) 91(*)
 - management 567
 - algorithms, two-level 568(*)
 - competitive 567(*)
 - number of gates, RISC and CISC CPUs compared with 138
 - organizations, language relationship to 5
 - page-replacement algorithms 567
 - FIFO 568
 - LRU 568
 - MIN 568
 - parallel computers with 283(*)
 - random-access 114(*)
 - circuit 116
 - shared, computer 284
 - unbounded, RAM 111
 - units, clocked 106
 - virtual memory-management systems 567
- merging,**
- bitonic, sorting via 271(*)
 - block, algorithm for 561
 - efficient branching programs for 496(*)
 - monotone circuits lower bounds for 414
 - networks 270(*), 481(*)
 - Batcher's bitonic 271 273
 - comparator-based 481
 - space-time lower bound 482
 - problem 270
- mesh(es)** 288
- 2D arrays,
 - embedding 1D arrays in 297(*)
 - fully normal algorithms on 306(*)
 - matrix multiplication on 295(*), 296
 - normal algorithm on 307
 - simulation on 1D array 298
 - multi-dimensional 292 292(*)
 - layouts, VLSI chips 583(*)
 - row-major order 293
 - toroidal 293
 - of trees 319 599
- message,**
- passing 284
 - priority 316
- metal migration** 577
- Meyer, A. R.** 389 456 609 619
- Meyer auf der Heide, F.** 528 607 615
- MHG (memory-hierarchy pebble game)** 533 (*)
- block I/O in 555(*)

- MHG (memory-hierarchy pebble game)**
 (cont.)
 convolution bounds 553
 fast memory simulation in 558(*)
 I/O time bounds,
 for FFT in 551
 for matrix multiplication in 544
 on FFT graph, bounds 549
 playing 534
 rules 533
- Micali, S.**607 610
- micro cycle**139
- micro-instructions**139
 simple CPU 142
 affecting registers 145
- microcode**,
 execute portion 143
 simple CPU 142
- Miller, G. A.**207 608
- Miller, R. E.**612
- MIMD (multiple instruction, multiple data)**285
- MIN**,
 page-replacement algorithm 568
- minimal**,
 DFSM, equivalence relation 177
 FSM,
 algorithm 175(*)
 algorithm for 176
 conditions for 174
 pebbling 534
 strategy 531
- minimization**232
 state 171(*)
 problem 158
- minimum**,
 feature size, VLSI chip wires 578
 space, existence of graph requiring large 488
- minterm**42
 monotone 441
- MISD (multiple instruction, single data)**286
- models**,
 branching program 488(*)
 BSP 317(*)
 circuit 372(*), 392(*)
 parallel memoryless computational 282
 computational 16(*)
 branching program comparison
 with 493 (*)
 logic circuits as 16(*)
 parallel 282(*)
- models (cont.)**
computational (cont.)
 (part I - chapters 2-7) 35
 restricted, representing 217(*)
 serial 331(*)
 VLSI, (chapter) 575(*)
 data parallel 286(*), 286
 FSM 154(*)
 hierarchical memory 562(*), 563
 I/O,
 block-transfer 559(*)
 RAM-based 559(*)
 LogP 317(*)
 machine,
 parallel 29
 sequential 5
 MIMD 285
 MISD 286
 nondeterministic 4
 PRAM 32 311 376(*)
 as canonical structured parallel machine
 311(*)
 RAM 19(*)
 role and types 3
 SIMD 285
 SISD 285
 SPMD, data parallel model implementation
 by 287
 TM, standard 210(*)
 VLSI,
 computational 579(*)
 diffusion 579
 physical 578(*)
 synchronous 579
 transmission 579
 transmission-line 579
- modulo-p counter**148
- modulus**,
 functions, as symmetric function 74
- Monier, L. M.**601 608
- monom**417
 removing 418
- monotone**,
 basis 392
 circuits 27 353 392
 communication game 441
 rules 442
 depth, communication complexity
 relationship 440(*)
 functions 85 392
 replacement rules 418

- monotone (cont.)**
 implicant 417
 increasing 392
 maxterm 441
 minterm 441
 prime implicant 417
 MONOTONE CIRCUIT VALUE language 150
 353
- Moore, E.** 93 152 207 615
- Moore machine,**
 FSM 93
- Muller, D. E.** 88 89 455 457 615 617
- multi-dimensional meshes** 292 292(*)
- multi-tape,**
 TM 119
- multigraphs** 489
 level 492
- multilective computation** 580
- multiplexer** 54(*)
 function, circuit for 55
- multiplier,**
 carry-save, circuit for 66
 divide-and-conquer, circuit for 67
- multiway decision tree** 561
- Munro, I.** 279 607
- Myhill, J.** 174 207 615
- Myhill-Nerode theorem** 174(*)
- N**
- n-indistinguishable states** 175
- NAESAT language 356
- naming function** 16
- Nassimi, D.** 323 609
- natural numbers** 8
- NC languages** 380
- NDTM (nondeterministic Turing machine)** 120(*), 214(*)
See also, DTM; Turing machine (TM)
 language acceptance 333
 by both DTM and 215 216
 multi-tape 333
 DTM simulation of 216
- NP language** 120
 relationship to 26
- NP problems** 335
- one-tape 333
 recursive language 333
- Nečiporuk, E. I.** 456 457 615
- Nečiporuk lower bound** 405(*)
- near-ring** 86
- negations,**
 Boolean function 409 410
- negative literal** 385
- neighborhood,**
 set 408
- Nerode, A.** 174 207 615
- networks,**
 Beneš, global routing network example 310
 brief history 6
 CCC 307
 normal algorithms on 308
 comparator 270 271
 computer 284 287(*)
 connection 289
 crossbar 289
 hypercube, PRAM simulation 315(*), 317
 merging 270(*), 481(*)
 Batcher's bitonic 271 273
 comparator-based 481
 space-time lower bound 482
 mesh of trees 319
 permutation 310
 routing 309(*)
 sorting 270(*)
- Newton approximation algorithm** 69
- NEXPTIME class** 337
- next-set function,**
 NFSM 154
- next-state function** 18 92 214
 DFSM 154
 DTM 119
 NDTM 120
 standard TM 210
- NFSM (nondeterministic finite-state machine)** 98(*), 154
 acceptance of 163 164
 DFSM equivalence 156
 Kleene closure acceptance by 163
 languages accepted by, same as languages
 accepted by DFMSMs 156
 regular expression recognition by 160 161
 162
 regular language acceptance 185
- nice matrices** 501
 Kronecker product 503
- Nishino, T.** 456 606 620
- NL problems** 338
 2-SAT language in 363
 complexity class relationships 341
- no-op** 115

Nodine, M. H. 573 615
non-ambiguous languages 187
non-redundant,
 branching program 490
non-singular,
 matrix 243
non-terminal,
 phrase-structure grammar 182
 self-embedding 206
 symbols 22
nondeterministic 98
 FSM, *See* NFSM
 models 4
 PDA 177
 Turing machine, *See* NDTM
normal algorithms 301(*)
 on 2D array 307
 ascending 306
 AT^2 upper bound for 585
 on CCC networks 308
 cyclic shifting on the hypercube 304
 fully 301 306
normal form,
 Boolean function expansions 42(*)
 branching program 492
 comparison of 45(*)
 conjunctive 43
 disjunctive 42
 product-of-sums 44(*)
 ring-sum 45(*)
 standard circuit construction methods 40
 sum-of-products 44(*)
normalization 263
notation,
 big Oh, $O(\cdot)$ 13
 big Omega, $\Omega(\cdot)$ 13
 big Theta, $\Theta(\cdot)$ 13
 binary relations 9
 computational work done by a FSM 24
 empty,
 set 7
 string 9
 equivalence classes 10
 integer operations 8
 positive closure 9
 product, equivalent number of logic
 operations employed 24
 register transfer 142
 set 7 9
NP (nondeterministic polynomial time),
 complement of 347(*)

NP (nondeterministic polynomial time)
 (cont.)
 complete,
 problems that are 127
 reducibility used to identify 227
 simulation use to show 23
 complete language 130(*)
 brief history 5
 complexity theory role 128
 reduction to 132(*)
 distinguishing **P** from, circuit complexity as
 method for 391
 equal to **P** question, as outstanding
 computer science problem 121
 language 120
 condition for **P** = **NP** 130
 relationship to NDTM 26
P as subset of 121
 problems 335
NP-complete problems 355(*)
 3-COLORING language 359
 3-SAT language 356
 boundary between **P**-complete problems and
 363(*)
 CIRCUIT SAT 355
 EXACT COVER language 360
 HALF-CLIQUE CENTRAL SLICE language
 435
 INDEPENDENT SET language 357 358
 INTEGER PROGRAMMING language 362
 justification for 352
 NAESAT language 356
 SATISFIABILITY language 356
 slice functions 435
 SUBSET SUM language 361
 succession of reductions 358
 TASK SEQUENCING language 361
NPSPACE,
 complexity class relationships 341
 decision problem 338
 language 375
NSPACE($r(n)$) 334
 TIME($r(n)$) relationship with 341
NTIME($r(n)$) 334
 SPACE($r(n)$) relationship with 341
number(s),
 natural 8
 systems 8(*)
number system,
 complementary 432 433

O

oblivious,
data 309
odd-even,
transposition sort 294
Oettinger, A. G. 207 615
offline algorithm 567
Ofman, Yu. 88 456 612 616
ok matrices 501
one-dimensional meshes 292
online algorithm 567
OPC (operation code register) 111
simple CPU design spec 138
operator,
associative 48 56 102
balanced binary tree 48
oracle,
function 216
tape 216 333
oracle Turing machine,
See, OTM
ordering,
snake row 297
OTM (oracle Turing machine) 216 333
out_wrd 110
out-degree 10
output,
alphabet 92
function 18 92
next-state/output RAM functions,
circuits for 120
operation, red-blue pebble game 530
vertex 10
OUTR (output register) 111
simple CPU design spec 138
overflow,
addition 61

P

P $\stackrel{?}{=}$ NP problem,
importance of 336
outstanding computer science problem 121
TM complexity vs circuit size complexity as
tool for resolving 128
P (polynomial time),
algorithm, CFL recognition 189
characteristics 5

P (polynomial time) (cont.)

complexity class relationships 341
to each other and to 381
distinguishing **NP** from, circuit complexity
as method for 391
existence of languages not in 343
hard problems, LINEAR INEQUALITIES 353
log-space contained in 342
problems 130(*), 328(*), 335
reduction 132
P-complete problems 120 130 352(*)
boundary between **NP**-complete problems
and 363(*)
brief history 5
complexity theory role 128
condition for **P = NP** 130
CREW PRAM solutions 380
DTM ACCEPTANCE 354
examples of, CIRCUIT VALUE language 128
justification for 352
log-space reduction, 131
MONOTONE CIRCUIT VALUE 353
problems that are 127
reduction to 130(*)
subset of NP 121
P/poly languages 383
page,
fault 567
replacement algorithms 567 568
pairing function 382
Pan, V. Y. 607
Papadimitriou, C. H. 152 236 347 389 390
602 614 616
parallel,
algorithms, performance 289(*)
computation 27(*)
(chapter) 281
circuit models 372
models 282(*)
thesis 379(*)
computers 282 284
Amdahl's law 290(*)
asynchronous 285
Brent's principle 291(*)
Flynn's taxonomy 285
memoryless 282(*)
synchronous 285
unstructured, circuit as form of 283
with memory 283(*)
data model 286(*)
languages, efficiently parallelizable 380(*)

- parallel (cont.)**
machines,
P-complete language problem 128
PRAM 6 27 29 311(*)
prefix, circuits, efficient 57(*)
- parallelizable** 381
- parity,**
bounded-depth parity circuits,
exponential size 448(*)
exponential size of 450
communication problem 438
function 43
- parsing** 22 181
CFL 186(*)
Cocke-Kasami-Younger algorithm 189
parse tree 186
Chomsky normal form 197
parser 186
- partial,**
computations 210 211
functions 11 210
DTM computation 333
NDTM computation 333
recursive 232 233(*)
standard TM 210
TM 119
- partition,**
balanced 425
- Paterson, M. S.** 89 455 456 457 458 526 573
602 609 614 616
- path(s)** 10
directed graph 10
maximal path length 249
elimination method, monotone circuits,
lower bounds derivation 413(*)
external length 451
length 10
binary search tree 564
longest,
binary tree 565
for sorting, binary tree 560
monotone circuits 414
rich 499
undirected graph 10
vertex-disjoint, monotone circuits 415
- Patterson, D.** 323 532 609 611
- Paul, W. J.** 455 456 526 611 616
- Paz, A.** 611
- PC (program counter)** 111
simple CPU design spec 138
- PDA (pushdown automata)** 20 177(*)
- CFL acceptance 192 192(*)
(chapter) 153(*)
- PDA (pushdown automata) (cont.)**
computational model 5 20(*)
languages accepted by, are context-free 194
one-way input tape 178
stack 178
state diagram 179 180
TM relationship 217
- pebble game** 24
basic lower bounds method 470
branching program comparison
with 488 (*), 493
brief history 6
lower bounds 470(*)
memory-hierarchy 533(*)
pebbling,
balanced binary trees 465
FFT graph 463
inner product graphs 472
minimal 534
pyramid graph 466
strategy 531 558
playing 463(*)
red-blue 26
deletion of pebbles 530
playing 532(*)
rules and strategies 530(*)
relationship to red-blue pebble game 530
rules and strategies 462
space lower bounds 470(*), 471
space-time tradeoff analysis with 461
worst-case tradeoffs 483(*)
- period,**
computation 582
VLSI chip 580
- Perles, M.** 207 606
- permutation** 74 244
bit reverse 267
matrix 244 477
network 310
Benes, global routing network example
310
routing problem 309
shuffle, on linear arrays 304(*)
unshuffle, on linear arrays 304(*)
- Peterson, G. L.** 456 616
- phrase-structure languages** 182(*)
are recursively enumerable 220
machine type that corresponds to, (table)
182

- phrase-structure languages (cont.)**
 recursively enumerable languages are 219
 TM and 219(*)
- Pietracaprina, A.**323 607
- pigeon-hole principle**15(*), 16 168
- pipelining**307
- Pippenger, N.**152 390 455 456 457 526 527
 528 611 616
- Pitts, E.**207 615
- pizza pie graph**600
- planar circuit size**586(*)
 lower bound,
 for independent functions 594
 in terms of $w(u, v)$ -flow 593
 relationship between AT^2 and A^2T and 589
- planar graph,**
 face 590
 triangular 590
- planar separator theorem**589(*), 591
 conditional 590
 multi-set 592
 two-cost 592 600
- Plaxton, G.**323 609
- pointer doubling**321
- polylogarithmic**13 79
- polynomial**12
 advice function 382
 characteristic, of a matrix 260
 functions, as real number functions 12
 language in NP 120
 language in P 120
 time, *See P*
- pop,**
 PDA 177
 state 180
- ports,**
 VLSI layout 577
- POSE (product-of-sums expansion)**44(*)
- positive,**
 closure 9 158
 instance, monotone communication game
 442
 literal 385
 test inputs 425
 approximator circuits 429
- possible accept state**179
- Post, E. L.**236 616
- power,**
 set 8
- Pracchi, M.**601 607
- PRAM (parallel random-access machine),**
 as parallel machine 27
 as synchronous shared memory model 285
 brief history 6
 characteristics of 29
 circuit relationship 378
 CRCW 314
 CREW 380
 circuit equivalence 376(*), 379
 circuits and 317(*)
 simulation by circuits 377
 efficiency 290
 EREW,
 CRCW PRAM simulation 314
 simulation by hypercube network 317
 simulation of normal algorithm 313
 hypercube network simulation of 315(*)
 log-space uniform 377 378
 model 376(*)
 as canonical structured parallel machine
 311(*)
 processor-time tradeoff 290
 simulation, of trees, arrays, and hypercubes
 313(*)
 speed 290
- Pratt, V. R.**389 457 617
- precise,**
 TM 334
- predecessor function**232
- predicate**15 232
- prefix,**
 circuits, parallel, efficient 57(*)
 computation 55(*), 583(*)
 segmented 56
 function 55
 parallel, circuit for 57
- Preparata, F. P.**88 323 455 457 601 602 603
 606 607 614 615 617 622
- Preston, Jr., K.**613
- primality problem**347
 primality is in intersection of NP and coNP
 348
 test for 347
- prime,**
 factorization 87
 implicant 417
- primitive recursive functions**231(*)
- priority,**
 message 316

- PRIORITY model,**
PRAM 313
- problems,** feasible 335
complete 129 350(*), 351
decision,
classification issues 328(*), 334(*)
complement of 329
language complements and 329(*), 330
regular languages, algorithms 171
hard 350(*), 351
- NL** 338
2-SAT language in 363
complexity class relationships 341
- NP-complete** 352 355(*)
3-COLORING language 359
additional examples 357(*)
boundary between P-complete problems
and 363(*)
EXACT COVER language 360
INDEPENDENT SET language graph 358
INTEGER PROGRAMMING language 362
justification for 352
SATISFIABILITY language 356
SUBSET SUM language 361
succession of reductions 358
TASK SEQUENCING language 361
- P $\stackrel{?}{=}$ NP** 5
P-complete 352 352(*)
boundary between NP-complete problems
and 363(*)
DTM ACCEPTANCE 354
justification for 352
MONOTONE CIRCUIT VALUE 353
- P-hard**, LINEAR INEQUALITIES 353
- PSPACE-complete** 365(*)
ALTERNATING QUANTIFIED
SATISFIABILITY language 369
GENERALIZED GEOGRAPHY language
370
QUANTIFIED SATISFIABILITY language
365 366 367 369
- state minimization 158
TSP, NP-complete association with 5
unsolvable 227(*)
- product,**
Cartesian 8
Kronecker 503
matrix-vector 507(*), 508
variables 44
vector-matrix, DFT 513
- program(s),**
boot 141
branching 488(*)
comparison with other computational
models 493(*)
straight-line programs vs. 496(*)
correctness 5
halting 113
machine language 141
RAM 112(*)
recursion 375
straight-line 17 35 238(*)
branching programs vs. 496(*)
circuits and 36(*)
tree 491
- programming,**
dynamic, algorithm 165
- projection function** 231
- proof,**
by contradiction 15(*)
by induction 15(*)
methods of 15(*)
- propagation,**
carry 59
- proper,**
integer subtraction function 232
subset 7
subtraction 232
- properties,**
algebraic, of Boolean functions 40(*)
CFL 197(*)
closure 198(*)
non-closure 199
closure, regular languages 170
distinguishability,
($\phi, \lambda, \mu, \nu, \tau$) 497
flow property relationship to 500
matrix multiplication 509
matrix-vector product 508
unique elements 515
- flow 469
distinguishability property relationship to
500
functions 469(*)
matrix multiplication 477
- independence,
cyclic shifting functions 474
DFT 479
matrix multiplication 470
wrapped convolution 473

properties (cont.)

- matrices,
 - nice 501(*)
 - ok 501(*)
- regular,
 - expressions 159
 - languages 170(*)
- rooted tree fan-in 394
- of semirings 251
- sets 8
- trees 397

protocol,

- communication game 437

pseudo-negations432

- realization by monotone circuits 432

PSPACE decision problem338**PSPACE-complete** problems365(*)

- ALTERNATING QUANTIFIED
 - SATISFIABILITY language 369
- GENERALIZED GEOGRAPHY language 370
- QUANTIFIED SATISFIABILITY language 365
 - tree circuit 366

Pucci, G.323 607**Pudlák, P.**456 617**pumping lemma**153

- application of 198
- CFL 197(*)
- FSM 168(*)
- regular languages, conditions for finite and infinite 169

punctured threshold function410**pyramid graph**465

- pebbling 466

Q**quadratic function**14**quantification,**

- existential 365

- universal 365

QUANTIFIED SATISFIABILITY language365

- 367 369

- tree circuit 366

quasiplanar577**query,**

- superfluous 499

Quinn, M. J.323 611 617**R****Rabin, M. O.**152 207 617**radius of a rooted spanning tree**589**radix sort**286**RAM (random-access machine),**

- architecture 110(*)
- as serial computational model 331(*)
- based I/O models 559(*)
- bounded-memory 111
- branching program simulation 495
- circuits, next-state/output functions 120
- computational inequalities for 117(*), 118
- computational models 19(*)
- FSM 111(*)
- memory hierarchy simulations, speed and size tradeoffs, (chapter) 529(*)
- programs 112(*), 113
- simulation 122 332
- space 332
 - use 495
- time 332
- TM relationship to 124
- unbounded-memory 111
- universal 114(*)

Ramachandran, V.323 388 390 612**Ranade, A.**323 617**Randell, B.**32 617**random-access memory**19 114(*)

- architectural components 110
- circuit 116
- design 115(*)
- interleaved 556

range,

- of a function 11

rank,

- matrix 243

RASP (random-access stored program machine)114**rate of growth,**

- functions 13(*)

Raz, R.458 617**Razborov, A. A.**457 459 617**reachability,**

- algorithm,

- paths explored by 344

- reachable vertex counting program 345

- problem 338

read115

- once computation 580

- real numbers,**
functions using 12
- reciprocal,**
algorithm 70
division and 68
function,
 circuit for 72
 reduction of squaring to 73
integer 68
 reduction from 72(*)
- Reckhow, R. A.** 323 389 608
- recognition,**
language 215
 by FSM 154
 (chapter) 153
DFSM 154
NFSM 154
TM 119
regular,
 expressions, by FSM 160(*), 161
 languages 184(*)
 languages, by FSM 185
- records,**
activation 339
complete 339
- rectilinearity,**
VLSI wire layouts 578
- recurrence,**
first-order linear, of length n 86
- recursion,**
decomposition, of set of strings 166
enumerable language, as Chomsky hierarchy
 component 5
language, DTM 333
partial recursive functions 231 232(*)
 RAM computability of 233(*)
primitive recursive functions 231(*)
standard TM 210
- recursively enumerable languages** 223
are phrase-structure 219
but not decidable 226 228
Chomsky hierarchy component 5
decidable 225(*)
phrase-structure languages are 220
standard TM 210
- red pebble game,**
See, pebble game
- Red'kin, N. P.** 88 455 457 617
- red-blue pebble game,**
See also, pebble game
- red-blue pebble game (cont.)**
I/O time bounds for matrix multiplication
 in 542
on FFT graph, computation and I/O time
 lower bounds 547
playing 532(*)
rules and strategies 530(*)
- reducibility** 226(*)
classifying languages as unsolvable using 227
unsolvability and 226(*)
- reduction** 348(*)
between logical and cyclic shifting functions
 51
CIRCUIT SAT language to NAESATlanguage
 357
from Turing to circuit computations 128(*)
function 46(*)
I/O time bounds 536
integer reciprocal 72(*)
log-space 131
logical and cyclic shifting 50(*)
many-to-one 227 348
multiplication 68(*)
NP-complete languages 132(*)
P-complete languages 130(*)
polynomial time 132
problem-solving method 35
of squaring to reciprocal function, reduction
 of squaring to 73
subfunction relationship 46
to complete problems 129
Turing 348 385
- refinement,**
equivalence relation 173
 on states 175
- reflexive,**
relation 10
- register(s)** 109
pebble game relationship to 6
set 138(*)
simple CPU 138
transfer notation 142
- regular,**
expressions 158(*)
 equivalence of 159
FSM and 160(*)
 FSM languages described by 164(*)
NFSM recognition of 160 161 162 163
properties of 159
recognition by FSM 160(*)
string search use 168(*)

- regular (cont.)**
- grammar 184
 - languages 22 158 184(*)
 - as Chomsky hierarchy component 5
 - as Chomsky language type 182
 - closure properties 170
 - conditions for 174(*)
 - conditions for finite and infinite 169
 - decision problems on, algorithms 171
 - machine type that corresponds to, (table) 182
 - properties of 170(*)
 - pumping lemma 169
 - recognition 184(*)
 - regular language acceptance 185
 - machine recognition problem 229
 - machine recognition problem 229
 - set 158
- Reif, J. H.** 72 88 323 610 617 618 619
- Reischuk, R.** 526 618
- reject state** 179
- relations** 9(*)
- equivalence 10 172
 - DFSM 172
 - for a language 172
 - on languages 171(*)
 - on states 171(*)
 - right-invariant 172 173
 - reflexive 10
 - symmetric 10
 - transitive 10
- Rem, M.** 601 615
- replacement,**
- function replacement method, monotone circuit lower bounds derivation 417 (*)
 - rules 417
 - monotone functions 418
 - semi-disjoint bilinear form 420
- representation,**
- integers 8
 - (k, s)-Lupanov 80 81 82
 - restricted models of computation 217(*)
 - standard,
 - binary 8
 - decimal 8
- reset, flip-flop** 109
- resource,**
- bounds 330(*)
 - transformations 348
- resource (cont.)**
- vector 534
- rewriting strings** 181
- Rice, H. G.** 236 618
- Rice's Theorem** 229 230
- rich path** 499
- right-invariant equivalence relation** 172 173
- rings** 239(*)
- commutative 264(*)
 - linear arrays 292
 - matrix multiplication 242 245
 - near 86
 - semirings 251
- Riordan, J.** 89 618
- ripple adder** 58 107
- RISC (reduced instruction set computer)** 138
- root(s),**
- of unity, in commutative rings 264
 - rooted directed acyclic multigraph 489
 - vertex 489
- Rosenberg, A. L.** 603 618
- routing** 309
- networks 309(*), 310(*)
 - permutation problem 309
- row-major order,**
- meshes 293
- RSE (ring-sum expansion)** 45(*)
- Ruane, L. M.** 602 613
- rules,**
- absorption, in Boolean expressions 41
 - DeMorgan's, in Boolean expressions 41
 - replacement 417
 - semi-disjoint bilinear form 420
- Ruzzo, W. L.** 389 390 610
- S**
- S-span,**
- DAG 537
 - matrix multiplication 541
- safe,**
- circuit 107
- Sahay, A.** 323 609
- Sahni, S.** 323 609
- Santos, E. E.** 323 609
- SATISFIABILITY language 132 133 328 356
- satisfiable** 328
- Savage, C.** 602 618

- Savage, J. E.** 89 152 389 455 456 457 526 527
 528 573 602 603 608 610 611 613
 618 619
- Savitch, W. J.** 323 389 618
- Savitch's theorem** 339 340
- Saxe, J.** 459 610
- CIRCUIT SAT language 355
- scalar product,**
 matrix 240
- Schäfer, T. J.** 389 618
- Schauser, K. E.** 323 609
- Schmidt, E. M.** 458 615
- Schmidt, H. A.** 611
- Schnorr, C. P.** 152 455 619
- Schönhage, A.** 67 88 619
- Schönhage-Strassen circuit** 67
- Schur,**
- Schürfeld, U.** 619
 complement 254
 factorization 254(*)
- Schutte, K.** 611
- Schutzenberger, M. P.** 207 619
- Scott, D.** 152 207 617
- search,**
 binary 565
 tree 564
- Sedgewick, R.** 601 602 614
- self-terminating machine problem** 230
- semantics,**
 programming language, brief history 5
- semellective computation** 580
- semi-disjoint bilinear form,**
 replacement rule 420
- semi-disjoint function,**
 circuit size lower bound 421
- semigroup** 56
- semirings** 251
- separator theorem,**
 for trees 397
 planar 589(*), 591
 conditional 590
 multi-set 592
 two-cost 592 600
- sequences,**
 bitonic 278
- sequential,**
 circuits 106
 as concrete implementation of sequential
 machine model 5
 constructing from a FSM 92
- sequential (cont.)**
 circuits (cont.)
 designing 106(*)
 machine, sequential circuit as concrete
 implementation of 5
- serial,**
 computation thesis 330
 computational models 331(*)
 branching program 488(*)
 space, parallel time relationship to 379
- series,**
 expansion, Taylor 73
- set(s)** 7
 binary relation over 9
 cardinality 7
 characteristics of 7(*)
 difference 7
 disjoint 7
 final states,
 DFSM 154
 PDA 177
 flip-flop 109
 instruction, simple CPU 140(*)
 intersection 7
 matrix over 240
 membership notation 7
 neighborhood 408
 power 8
 properties 8
 regular 158
 strings, concatenation 9
 symmetric difference 234
 totally ordered 270
 union 7
- Sethi, R.** 527 605 608
- shallow,**
 circuits,
 simulating addition with 105(*)
 simulating FSM with 100(*)
- Shamir, E.** 207 606
- Shannon, C. E.** 88 89 618 619
 contributions to theoretical computer
 science 4
- shared memory computer** 284
- Shepherdson, J. C.** 389 619
- shifting,**
 circuits, cyclic 49
 cyclic 474(*)
 function 474
 functions, independence properties 474
 functions, space-time lower bound 475

- shifting (cont.)**
- cyclic (cont.)**
 - on the hypercube 303(*), 304
 - reductions between logical shifting and 50 (*)
 - functions 48(*)
 - cyclic 48
 - cyclic, circuits for 50
 - logical,
 - reduction to multiplication 68
 - reductions between cyclic shifting and 50 (*)
- Shriver, E. A. M.** 573 621
- shuffle permutations** 304
 - on linear arrays 304(*)
- Siegel, A.** 603 619
- signed two's complement** 61
- SIMD (single instruction, multiple data) model** 285
- simulation** 23
 - branching program 491
 - circuit,
 - by dataflow computers 283
 - of FSM 95
 - of TM 124(*), 134(*)
 - CPU by another CPU 147(*)
 - CRCW PRAM, by EREW PRAM 314
 - CREW PRAM, by circuits 377
 - FSM, by shallow circuits 102 104
 - of 2D array on 1D array 298
 - of fast memory in the MHG 558(*)
 - of normal algorithm, PRAM EREW 313
 - PRAM,
 - by hypercube network 315(*)
 - of trees, arrays, and hypercubes 313(*)
 - by precise TM 334
 - RAM,
 - branching program 495
 - by DTM 332
 - by TM 122
 - TM, single-tape simulation of multi-tape 213
- sink vertex** 489
- Sipser, M.** 89 456 459 602 607 610 616
- SISD (single instruction, single data) model** 285
- size,**
 - circuit 11 35 239
 - as quantity whose rate of growth is significant 13
 - basis change effect on 396
- size (cont.)**
- circuit (cont.)**
- bounds on 402
 - fan-out impact on 394(*)
 - gate-elimination method for 400(*)
 - in a simple CPU 146(*)
 - monotone, clique function 430
 - planar 586(*)
 - simple lower bounds on 400
 - slice function relationship 432
 - upper bounds on 79(*)
 - with fan-out s 393
 - exponential, bounded-depth parity circuits 450
- formula** 394
 - bounds on 397
 - circuit depth vs 396(*)
 - fan-out-1 relationship 394
 - lower bounds for 404(*)
 - over two different bases 399
- monotone circuits, slice functions 434
- planar circuits, relationship between AT^2 and A^2T and 589
- polynomial, circuits of 382
- speed tradeoffs,
 - (chapter) 461(*)
 - in memory hierarchies 529(*)
- Skyum, S.** 457 619
- Sleator, D. D.** 573 619
- slice functions,**
 - central slice 435
 - circuit size relationship 432
 - HALF-CLIQUE CENTRAL SLICE, function 435
 - language 435
 - monotone circuits 431(*)
 - NP-complete 435
 - representation 431
- sliding,**
 - red-blue pebble game 462 530
- Smith, C. H.** 152 619
- Smolensky, R.** 459 619
- snake row ordering** 297 316
- Snir, M.** 563 573 605
- solvable task** 210
- solving,**
 - linear systems 262(*)
- Song, S. W.** 602 613
- SOPE (sum-of-products expansion)** 44(*)
- sorting,**
 - algorithm 301 302

- sorting (cont.)**
- binary 85
 - functions as symmetric function 74
 - monotone circuits lower bounds 413
 - bitonic 271 272 278
 - as Borodin-Cook lower-bound method, application 516(*)
 - BTM 561
 - bubble sort 294
 - comparison-based, lower performance bounds 565
 - linear arrays 294(*)
 - longest path length, for binary tree 560
 - networks 270(*)
 - AKS 274
 - fast 274(*)
 - insertion 270
 - odd-even transposition 294
 - problem 270
 - radix sort 286
 - space-time lower bounds 516
 - stable sorting algorithm 304
 - via bitonic merging 271(*)
- space,**
- bounded,
 - complexity classes 338(*)
 - complexity classes, time-bounded
 - complexity class relationships with 341(*)
 - functions 342(*)
 - branching program 490
 - deterministic, nondeterministic time
 - contained in 341
 - hierarchy 336(*)
 - I/O time tradeoffs 539(*)
 - convolution 552(*)
 - FFT 546(*)
 - matrix-matrix multiplication 541(*)
 - vector-matrix product 539(*)
 - jump value for 483
 - log-space,
 - contained in polynomial-time 342
 - reduction 131
 - lower bounds 465(*)
 - pebble game 470(*)
 - MHG 534
 - minimum 465
 - existence of graph requiring large 488
 - nondeterministic space classes closed under complements 346
 - OTM 217 333
- space (cont.)**
- pebbling strategy 531
 - quantity whose rate of growth is significant 13
 - RAM 332 495
 - serial, parallel time relationship to 379
 - time,
 - and I/O tradeoffs 24(*)
 - bounds on MHG 544
 - lower bound, cyclic shifting functions 475
 - lower bound, DFT 480 513
 - lower bound, integer multiplication 507
 - lower bound, matrix inversion 512
 - lower bound, matrix multiplication 511
 - lower bound, matrix-vector product 508
 - lower bound, merging networks 482
 - lower bound, sorting 516
 - lower bound, unique elements 516
 - lower bound, wrapped convolution 505
 - product for branching programs 500
 - product, matrix multiplication 472(*)
 - product (ST) 118
 - tradeoffs, (chapter) 461(*)
 - tradeoffs in memory hierarchies, (chapter) 529(*)
 - tradeoffs, matrix multiplication 479
 - tradeoffs, pebble game study of, brief history 6
 - TM 333
 - upper bounds 483(*)
 - SPACE($r(n)$)** 334
 - NTIME($r(n)$)** relationship with 341
 - space hierarchy 337
 - spanning tree** 589
 - BFS 591
 - SPD (symmetric positive definite)**
 - matrices 253(*), 253
 - inversion, reduction of matrix inversion to 254
 - LDL^T factorization of 257(*), 257 258 259
 - Schur complement of SPD matrix is SPD 255
 - Specker, E.** 456 611
 - speedup,**
 - PRAM 290
 - Spira, P. M.** 455 619
 - Spirakis, P.** 323 607 610
 - Spivak, M.** 72 619

- SPMD (single program multiple data)**
model,
 data parallel model implementation by 287
- Sproull, B.**606 612 613 617 618
- square,**
 matrix 240
- squaring function**68
- ST* (space–time product)**118
- stable sorting algorithm**304
- stack,**
 alphabet, PDA 177
 PDA 177
- stacking state**178
- standard,**
 basis 373 392
 of a logic circuit 38
- representation,
 binary 8
 decimal 8
- start,**
 symbols 22
- state(s)**30
 accept 179
 assignment, problem 107
 branching program 495
 diagram 18 30
 FSM 21
 equivalence 175
 relations on 171(*)
 relations refinement on 175
 final, DFSM 154
 initial,
 DTM 119
 NDTM 120
 minimization 171(*)
 problem 158
n-indistinguishable 175
 next,
 DTM 119
 NDTM 120
 next-state/output RAM functions, circuits
 for 120
 possible accept 179
 reject 179
 set of,
 DFSM 154
 DTM 119
 NDTM 120
 stacking 178
 to-state mappings 101
- Stearns, R. E.**336 389 610 611
- Steele, G.**323 606 611 612 613 617 618
- step,**
 basis 15
- Stewart, G. W.**613
- Stimson, M. J.**323 618
- Stockmeyer, L. J.**389 390 619
- Stone, H. S.**323 619
- storage,**
 access function 54
 capacity 111
 TM 119
- stored-program concept**110
- straight-line program(s)**17 35 238(*)
 algorithms, lower performance bounds 565
 Boolean, circuit as graph of 37
 branching programs vs. 496(*)
 circuits,
 and 36(*)
 representation of 37 238
 functions computed by 38
 realizing subfunction of a function 47
- Strassen, V.**67 88 245 278 618 619
- Strassen's algorithm**245(*)
 matrix multiplication 247
- strategy,**
 adversarial 443 445 447
 pebbling 531 558
- strict refinement**173
- string(s)**9
 acceptance 92
 by FSM 154
 DFSM 154
 DTM 119
 NFSM 154
 choice input, acceptance by NDTM 120
 concatenation 158
 empty 9
 encoding of, TM and 222(*)
 languages and 9(*)
 relation to alphabets 9
 searching for, with grep 168(*)
 sets of, concatenation 9
- Sturgis, H. E.**389 619
- Subbotovskaya, B. A.**456 619
- subfunctions,**
 realizing, of a function 47
 relationship, reduction via 46
- Subramonian, R.**323 609
- subset(s)**7
 SUBSET SUM language 361

- substitution,**
 backward 263
 constants, in Boolean expressions 41
- subtraction** 61(*)
 function, proper 232
- successor function** 231
- succinct,**
 certificate 100
- sum** 44
 Boolean function 44
- summing,**
 on the hypercube 302(*)
 operations 48
- superconcentrator** 485 486
- superfluous query** 499
- superpolynomial function** 330
- Swamy, S.** 526 527 618 619
- symbol(s),**
 non-terminal 22
 start 22
 terminal 22
- symmetric,**
 difference, between sets 234
 elementary, functions as symmetric function 74
 functions 74(*)
 circuits for 76
 matrix 240
 positive definite matrices, *See* SPD
 relation 10
- synchronous,**
 FSM 97
 circuit simulating 98
 model, VLSI 579
 parallel computers 285
- systems,**
 balanced computer 532(*)
 number 8(*)
- systolic array** 27 28 292
- Szelepscényi, R.** 389 620
- Szemerédi, E.** 274 456 457 606
- T**
- table lookup** 493
- Tanaka, K.** 456 606 620
- tape,**
 alphabet 214
 DTM 119
 NDTM 120
- tape (cont.)**
alphabet (cont.)
 PDA 177
 standard TM 210
 empty, acceptance problem 228
 enumeration 215
 head 20
 multi, TM 119
 one, TM 118
 oracle 216 333
 PDA, blank symbol 177
 TM 20 118 149 210 213(*)
- Tardos, É.** 457 620
- Tarjan, R. E.** 482 526 528 573 602 610 614 616 619
- TASK SEQUENCING language** 361
- Tate, S. R.** 72 88 618 620
- taxonomy,**
 Flynn's, parallel computers 285
- Taylor series expansion** 72 73
- terminal(s),**
 phrase-structure grammar 182
 symbols 22
- termination,**
 abnormal 210
- terms,**
 dominant,
 as rate of growth indicator 13
 big Oh notation 13
 big Omega notation 13
 big Theta notation 13
- test cases,**
 approximation method 425
- Thatcher, J.** 612
- theorems,**
 2-SAT language in **NL**, (8.11.1) 363
 (2.6.1), theorem 3.2.1 as restatement of 102
 3-COLORING is **NP**-complete,
 (8.10.4) 359
 3-SAT is **NP**-complete, (8.10.1) 356
 addition function, circuit for (2.7.1) 60
 algorithms,
 Csanky's, for matrix inversion, (6.5.6) 262
 decision problems on regular languages,
 (4.6.2) 171
 fast, convolution complexity of, (6.7.3)
 270
 FFT, (6.7.1) 267
 FFT-based for convolution, (6.7.2) 269
 fully normal ascending/descending,
 (7.7.4) 306

theorems (cont.)**algorithms (cont.)**

- hypercube sorting, (7.7.1) 302
- LDL^T factorization of SPD matrices, (6.5.3) 259
- matrix inversion, (6.5.4) 260
- minimal FSM, (4.7.2) 176
- normal, EREW PRAM simulation, (7.9.1) 313
- normal, on 2D array, (7.7.5) 307
- normal, on CCC network, (7.7.6) 308
- polynomial time, CFL recognition, (4.11.2) 189
- Strassen's matrix multiplication, (6.3.1) 247

ALTERNATING QUANTIFIED

- SATISFIABILITY language, log-space complete for **PSPACE**, (8.12.2) 369

Amdahl's law, (7.4.2) 290

area lower bound, for matrix multiplication, (12.8.3) 598

- AT^2 and A^2T lower bounds and communication complexity, (12.7.4) 596

- AT^2 and A^2T lower bounds for independent functions, (12.7.2) 593

- AT^2 and A^2T lower bounds for matrix multiplication, (12.7.3) 595

- AT^2 upper bound for normal algorithms, (12.5.1) 585

- basic pebble-game lower bound method, (10.4.1) 470

- Batcher's bitonic merging network, (6.8.2) 273

- complexity of, (6.8.3) 273

- binomial 451

- Boolean,

- convolution circuit size, (9.6.3) 419

- functions, circuit-size upper bound for all, (2.13.2) 82

- functions, depth lower bound for most, (2.12.2) 79

- functions, depth upper bound for all, (2.13.1) 80

- functions, negations needed to realize, (9.5.1) 409

- matrix multiplication optimal monotone circuit, (9.6.5) 424

theorems (cont.)

bounded-depth parity circuits, have

- exponential size, (9.7.4) 450

bounded-fan-out circuits, (9.2.1) 395

- branching program, basic, lower bound method, (10.11.1) 498

Brent's principle, (7.4.3) 291

broadcasting on the hypercube, (7.7.2) 303

BTM sorting time, (11.8.1) 561

bubble sort, on linear array, (7.5.2) 294

carry lookahead adder, circuit for (2.7.2) 61

carry-save adder, circuit for (2.9.1) 64

Cayley-Hamilton 260

CFL,

- Chomsky normal form for, (4.11.1) 187

- closure properties, (4.13.1) 198

- non-closure properties, (4.13.2) 199

- PDA acceptance of, (4.12.1) 192

- recognition, polynomial time algorithm, (4.11.2) 189

chip area,

- lower bound in terms of $w(u, v)$ -flow, (12.8.1) 597

- lower bounds for independent functions, (12.8.2) 597

- Chomsky normal form, for CFLs, (4.11.1) 187

circuit(s),

- Boolean convolution, size, (9.6.3) 419

- bounded-depth parity, have exponential size, (9.7.4) 450

- bounded-fan-out, (9.2.1) 395

- complexity classes, containment of, (8.15.1) 381

- complexity classes, **P/poly**, (8.15.2) 383

- computations, equivalence between FSM and, (3.12) 96

- CREW PRAM equivalence, (8.14.1) 379

- depth, relationship between formula size and, (9.2.2) 397

- for addition function, (2.7.1) 60

- for carry lookahead adder, (2.7.2) 61

- for carry-save adder, (2.9.1) 64

- for carry-save multiplier, (2.9.2) 66

- for divide-and-conquer multiplier, (2.9.3) 67

- for parallel prefix function, (2.6.1) 57

- for reciprocal function, (2.10.1) 72

- for symmetric functions, (2.11.1) 76

- for transitive closure, (6.4.3) 251

theorems (cont.)**circuit(s) (cont.)**

- log-space uniform, polytime DTM functions are computable by, (8.13.1) **374**
- MONOTONE CIRCUIT VALUE language, is **P**-complete, (8.9.1) **353**
- monotone, lower bound for binary sorting, (9.6.1) **413**
- monotone, lower bound for merging, (9.6.2) **414**
- monotone optimal, Boolean matrix multiplication, (9.6.5) **424**
- monotone, realization of pseudo-negations by, (9.6.8) **432**
- monotone, size of clique function, (9.6.6) **430**
- planar, relationship between size and AT^2 and A^2T , (12.6.1) **589**
- planar, size lower bound in terms of $w(u, v)$ -flow, (12.7.1) **593**
- semi-disjoint function, size lower bound, (9.6.4) **421**
- shallow circuit simulation of FSM, (3.2.1) **102**
- shallow circuit simulation of FSM, (3.2.2) **104**
- simulation of TM (3.9.1) **125**
- size, and depth, simple lower bounds on (9.3.1) **400**
- size, lower bound for most Boolean functions, (2.12.1) **77**
- size lower bounds for functions in $F_s^{(n,k)}$, (9.3.3) **403**
- size lower bounds for functions in $Q_{2,3}^{(n)}$, (9.3.2) **401**
- size, of function and its slices, (9.6.7) **432**
- size, slice functions have comparable monotone and non-monotone, (9.6.9) **434**
- size, upper bound for all Boolean functions, (2.13.2) **82**
- uniform circuit family, **NSPACE** language recognition by, (8.13.3) **375**
- CIRCUIT SAT language, (3.9.6) **132**
- CIRCUIT VALUE language, **P**-complete (3.9.5) **131**
- communication complexity, AT^2 and A^2T lower bounds and, (12.7.4) **596**
- equals depth, (9.7.1) **438**

theorems (cont.)**communication complexity (cont.)**

- monotone, equals depth of monotone functions, (9.7.2) **441**
- of clique function, (9.7.3) **447**
- competitive analysis of FIFO and LRU, (11.10.1) **568**
- complexity, Batcher's bitonic merging network, (6.8.3) **273**
- classes, circuit, containment of, (8.15.1) **381**
- classes, circuit, **P/poly**, (8.15.2) **383**
- classes, containment among time-bounded, (8.5.4) **337**
- classes, time and space-bounded, relationship between, (8.5.6) **341**
- communication, AT^2 and A^2T lower bounds and, (12.7.4) **596**
- communication, equals depth, (9.7.1) **438**
- communication, of clique function, (9.7.3) **447**
- convolution, of fast algorithm, (6.7.3) **270**
- monotone communication, equals depth of monotone functions, (9.7.2) **441**
- of transitive closure function, (6.4.1) **249**
- computing Boolean functions on CRCW PRAM, (7.9.2) **314**
- containment among time-bounded complexity classes, (8.5.4) **337**
- containment of, circuit complexity classes, (8.15.1) **381**
- deterministic classes and their complements, (8.6.1) **343**
- convolution **268(*)**
- Boolean, circuit size, (9.6.3) **419**
- complexity of fast algorithm, (6.7.3) **270**
- FFT-based algorithm, (6.7.2) **269**
- in I/O-limited MHG, I/O time bounds, (11.5.8) **553**
- in MHG, I/O time bounds (11.5.7) **553**
- wrapped, space-time lower bound, (10.13.1) **505**
- wrapped, space-time lower bound, (10.5.1) **474**
- CREW PRAM and circuit equivalence, (8.14.1) **379**
- cyclic, shifting on hypercubes, (7.7.3) **304**
- shifting space-time lower bound, (10.5.2) **475**

theorems (cont.)

- decidable languages,
 - (5.7.1) 224
 - (5.7.2) 224
 - (5.7.3) 224
 - complement is decidable, (5.7.5) 225
- DFT,
 - space-time lower bound, (10.13.7) 513
 - space-time lower bound, (10.5.5) 480
- DTM ACCEPTANCE is **P**-complete, (8.9.3) 354
- empty,
 - set acceptance problem, (5.8.3) 229
 - tape acceptance problem, (5.8.2) 228
- EREW PRAM simulation,
 - by hypercube network, (7.9.4) 317
 - of CRCW PRAM, (7.9.3) 314
 - of normal algorithm, (7.9.1) 313
- EXACT COVER is **NP**-complete, (8.10.5) 360
- existence of graph requiring large minimum space, (10.8.1) 488
- FFT algorithm, (6.7.1) 267
- formula size,
 - and circuit depth, relationship between, (9.2.2) 397
 - over two different bases, (9.2.3) 399
- FSM,
 - computational inequalities for interconnected, (3.1.3) 97
 - equivalence between circuit computations and, (3.12) 96
 - function computed by, (3.1.1) 95
 - languages are regular, (4.10.1) 185
 - minimal, algorithm for, (4.7.2) 176
 - shallow circuit simulation of, (3.2.1) 102
 - shallow circuit simulation of, (3.2.2) 104
 - gap, (8.5.3) 337
- GENERALIZED GEOGRAPHY language, log-space complete for **PSPACE**, (8.12.3) 370
- HALF-CLIQUE CENTRAL SLICE language is **NP**-complete, (9.6.10) 435
- halting problem, unsolvability, (5.8.1) 228
- HMM, cost of problems in, (11.9.1) 565
- Hong-Kung lower-bound method, (11.4.1) 537
- I/O bounds, matrix-vector product, (11.5.1) 539
- I/O time bounds,
 - for convolution in I/O-limited MHG, (11.5.8) 553

theorems (cont.)

- I/O time bounds (cont.)**
 - for convolution in MHG, (11.5.7) 553
 - for FFT in I/O-limited MHG, (11.5.6) 551
 - for FFT in MHG, (11.5.5) 549
 - for FFT in red-blue pebble game, (11.5.4) 547
 - for matrix multiplication in MHG, (11.5.3) 544
 - for matrix multiplication in red-blue pebble game, (11.5.2) 542
- Immerman-Szelepcényi, (8.6.2) 344
- impossibility 96
 - (3.1.1) 95
 - for bounded computations 24
- INDEPENDENT SET is **NP**-complete, (8.10.3) 357
- integer,
 - multiplication, space-time lower bound, (10.5.3) 475
 - multiplication space-time lower bound, (10.13.2) 507
- INTEGER PROGRAMMING, is **NP**-complete, (8.10.5) 362
- justification for **P**-complete problems, (8.14.2) 380
- Krapchenko lower bound, (9.4.2) 408
- languages,
 - 2-SAT, in **NL** (8.11.1) 363
 - accepted by NDTM accepted by DTM, (5.2.2) 215
 - accepted by NFSMs and DFSMs are same, (4.2.1) 156
 - accepted by PDAs are context-free, (4.12.2) 194
- ALTERNATING QUANTIFIED SATISFIABILITY, log-space complete for **PSPACE**, (8.12.2) 369
- CIRCUIT SAT, (3.9.6) 132
- condition for **P** = **NP**, (3.9.4) 130
- decidable, (5.7.1) 224
- decidable, (5.7.2) 224
- decidable, (5.7.3) 224
- decidable, complement is decidable, (5.7.5) 225
- FSM, described by regular expressions, (4.4.2) 164
- GENERALIZED GEOGRAPHY, log-space complete for **PSPACE**, (8.12.3) 370

theorems (cont.)**languages (cont.)**

- HALF-CLIQUE CENTRAL SLICE, is
NP-complete, (9.6.10) 435
- MONOTONE CIRCUIT VALUE is
P-complete, (8.9.1) 353
- non-recursively enumerable, (5.7.4) 224
- NSPACE**, recognition by uniform circuit family, (8.13.3) 375
- P**-complete, CIRCUIT VALUE (3.9.5) 131
- phrase-structure languages are recursively enumerable, (5.4.2) 220
- phrase-structure, recursively enumerable languages are, (5.4.1) 219
- QUANTIFIED SATISFIABILITY, log-space complete for **PSPACE**, (8.12.1) 369
- recursively enumerable, are
 - phrase-structure, (5.4.1) 219
- recursively enumerable, but not decidable, (5.7.6) 226
- recursively enumerable, but not decidable, (5.8.1) 228
- recursively enumerable, but not decidable, (5.8.6) 230
- recursively enumerable, phrase-structure languages are, (5.4.2) 220
- regular, closure properties, (4.6.1) 170
- regular, conditions for, (4.7.1) 174(*)
- regular, decision problems on, (4.6.2) 171
- regular, FSM recognition of, (4.10.1) 185
- SATISFIABILITY, (3.9.7) 133
- undecidable, (5.8.5) 230
- undecidable, example, (5.8.2) 228
- undecidable, example, (5.8.3) 229
- undecidable, example, (5.8.4) 229
- LDL^T factorization of SPD matrices, (6.5.2) 257
 - algorithm for, (6.5.3) 259
- Leverrier, (6.5.5) 261
- linear, equation solutions, (6.6.1) 263
- LINEAR INEQUALITIES, is **P**-hard, (8.9.2) 353
- log-space,
 - contained in polynomial-time, (8.5.8) 342
 - uniform circuits computable by polytime DTM_s, (8.13.2) 374
- matrix,
 - inversion algorithm, (6.5.4) 260
 - inversion for triangular matrices, (6.5.1) 256

theorems (cont.)**matrix (cont.)**

- inversion, space–time lower bound, (10.13.6) 512
- multiplication as ring, (6.2.1) 242
- multiplication on a hypercube, (7.7.7) 308
- multiplication on linear array, (7.5.1) 294
- multiplication, space–time lower bound, (10.13.4) 511
- multiplication, space–time lower bound, (10.4.2) 472
- multiplication, space–time lower bound, (10.5.4) 479
- SPD, LDL^T factorization of, (6.5.2) 257
- SPD, LDL^T factorization of, algorithm for, (6.5.3) 259
- vector product, space–time lower bound, (10.13.3) 508
- merging network space–time lower bound, (10.5.6) 482
- monotone circuit,
 - lower bound for binary sorting, (9.6.1) 413
 - lower bound for merging, (9.6.2) 414
 - size of clique function, (9.6.6) 430
- MONOTONE CIRCUIT VALUE language, is **P**-complete, (8.9.1) 353
- monotone communication complexity equals depth of monotone functions, (9.7.2) 441
- multiplication matrix on 2D array, (7.5.3) 296
- Myhill-Nerode, (4.7.1) 174(*)
- NAESAT is **NP**-complete, (8.10.2) 356
- Nečiporuk lower bounds, (9.4.1) 406
- nondeterministic time contained in deterministic space, (8.5.7) 341
- normal algorithm on CCC network, (7.7.6) 308
- normal algorithms, normal, AT^2 upper bound for, (12.5.1) 585
- NSPACE** language recognition by uniform circuit family, (8.13.3) 375
- P** and **NP** complete problems, justification for, (8.8.2) 352
- P**-complete problems, justification for, (8.14.2) 380
- P/poly** circuit complexity class, (8.15.2) 383
- parallel prefix function, circuit for, (2.6.1) 57

theorems (cont.)

- planar circuit, size lower bound in terms of $w(u, v)$ -flow, (12.7.1) 593
- planar separator 589(*), 590 591
(12.6.2) 591
- two-cost 600
- polynomial time algorithm, CFL
recognition, (4.11.2) 189
- polytime DTM functions are computable by log-space uniform circuits, (8.13.1)
374
- primality,
is in intersection of **NP** and **coNP**, (8.6.4)
348
- test, (8.6.3) 347
- processor-time tradeoff, (7.4.1) 290
- QUANTIFIED SATISFIABILITY language,
log-space complete for **PSPACE**, (8.12.1)
369
- RAM,
computational inequalities for, (3.6.1) 118
simulation by DTM, (8.4.1) 332
simulation by TM, (3.8.1) 122
universal, for FSMs, (3.4.1) 114
- realization of pseudo-negations by monotone
circuits, (9.6.8) 432
- reciprocal function, circuit for (2.10.1) 72
- recursively enumerable but non-decidable
language, (5.8.6) 230
- reduction,
from matrix multiplication to transitive
closure, (6.4.2) 250
- to complete problems, (3.9.3) 129
- regular expressions,
FSM languages described by (4.4.2) 164
NFSM recognition of (4.4.1) 160
properties of (4.3.1) 159
- regular languages,
closure properties, (4.6.1) 170
conditions for, (4.7.1) 174(*)
- decision problems on, (4.6.2) 171
- FSM recognition of, (4.10.1) 185
- regular machine recognition problem,
(5.8.4) 229
- relationship between planar circuit size and
 AT^2 and A^2T , (12.6.1) 589
- relationships between I/O time bounds,
(11.3.1) 535
- Rice's Theorem, (5.8.5) 230
- SATISFIABILITY language, (3.9.7) 133
- Savitch's theorem, (8.5.5) 339

theorems (cont.)

- semi-disjoint function circuit size lower
bound, (9.6.4) 421
- separator theorem for trees 397 (9.2.1) 397
- simple lower bounds on circuit size and
depth, (9.3.1) 400
- simulation,
by precise TM, (8.4.2) 334
- of 2D array on 1D array, (7.5.4) 298
- slice functions have comparable monotone
and non-monotone circuit sizes,
(9.6.9) 434
- sorting algorithm,
hypercube, (7.7.1) 302
- sorting space-time lower bounds, (10.13.9)
516
- space,
hierarchy, (8.5.2) 337
- upper bounds to pebble graph, (10.7.1)
483
- space-time, extreme tradeoffs, (10.3.1) 467
- space-time, lower bounds unique elements,
(10.13.8) 516
- SPD matrices,
 LDL^T factorization of, (6.5.2) 257
 LDL^T factorization of, algorithm for,
(6.5.3) 259
- Strassen's matrix multiplication algorithm,
(6.3.1) 247
- SUBSET SUM is **NP**-complete, (8.10.5) 361
- TASK SEQUENCING is **NP**-complete,
(8.10.5) 361
- Taylor's, (2.10.2) 72
- three-matrix product space-time lower
bound, (10.13.5) 512
- time,
and space-bounded complexity classes,
relationship between, (8.5.6) 341
- bounded complexity classes, containment
among, (8.5.4) 337
- hierarchy theorem, (8.5.1) 336
- TM,
computational inequalities (3.9.2) 127
computational inequalities, (3.9.8) 134
single-tape simulation of multi-tape,
(5.2.1) 213
- transitivity of log-space transformations,
(8.8.1) 350

theorems (cont.)

- unique elements space-time lower bounds, (10.13.8) 516
- unsolvable problems,
 - empty set acceptance, (5.8.3) 229
 - empty tape acceptance, (5.8.2) 228
 - halting, (5.8.1) 228
 - Rice's Theorem, (5.8.5) 230
 - self-terminating machine, (5.8.6) 230
- wrapped convolution,
 - space-time lower bound, (10.13.1) 505
 - space-time lower bound, (10.5.1) 474
- zero-one principle, (6.8.1) 271

theory,

- computer science role, overview,
 - (chapter) 3 (*)

thesis,

- Church-Turing 209
- computation,
 - parallel 379(*)
 - serial 330

Thiele, J.-J.611**Thompson, C. D.**601 602 610 620**three-matrix product,**

- space-time lower bound 512

threshold,

- functions, as symmetric function 74

Tiekenherinrich, J.457 620**tightly coupled computer network**284**time,**

- area tradeoffs, VLSI chip design 586(*)
- bounded complexity classes 337(*)
- containment among 337
- space-bounded complexity class
 - relationships with 341(*)
- branching program computation 489
- computation,
 - in the VLSI synchronous model 579
 - TM relationship to circuit complexity 5
- CPU timing, simple CPU 142(*)
- exponential, polynomial time compared with 330
- for pebbling strategy 558
- hierarchy 336(*)
- I/O 559
 - and computation bounds, red-blue pebble game 542
 - lower bounds, red-blue pebble game 537
 - relationships, MHG 534
 - space tradeoffs 539(*)
- lower bound, TM 127

time (cont.)

- MHG 534
- nondeterministic, contained in deterministic space 341
- OTM 217 333
- parallel, serial space relationship to 379
- pebbling, strategy 531
- polylogarithmic 128
- polynomial,
 - CFL recognition algorithm 189
 - characteristics 5
 - exponential time compared with 330
 - log-space contained in 342
 - reduction 132
- processor-time tradeoff 290
- quantity whose rate of growth is significant 13
- RAM 332
- space,
 - and I/O tradeoffs 24(*)
 - tradeoffs, (chapter) 461(*)
 - tradeoffs, matrix multiplication, 479
 - tradeoffs, pebble game study of, brief history 6
- TM 333
- TIME($r(n)$)**334
- NSPACE($r(n)$)** relationship with 341
- time hierarchy 336
- timing,**
 - variable 143
- TM,**
 - See*, Turing machine (TM)
- Toeplitz matrix**243
- Tompa, M.**526 527 528 607 620 621
- toroidal meshes**293
- total,**
 - function, standard TM 210
 - ordering, set 270
- trace,**
 - of a matrix 261
- tradeoffs,**
 - extreme 466(*)
 - space, time, and I/O 24(*)
 - space-time, (chapter) 461(*)
 - worst-case, pebble game 483(*)
- Trakhtenbrot, B. A.**88 152 337 389 620
- transformation,**
 - classes 350
 - log-space,
 - realization of, on CREW PRAM 380
 - transitivity of 350

- transformation (cont.)**
 resource-bounded 348
 transitive 350
- transition(s),**
 functions, TM 212
 PDA 177
 closure 248(*)
 application to parsing CFLs 190
 circuits for 251
 function, complexity of 249
 matrix 248
 reduction of matrix multiplication
 function to 250
 log-space transformations 350
 relation 10
 transformations 350
- transmission,**
 line model, VLSI 579
 model, VLSI 579
- transpose,**
 matrix 240
- trees,**
 balanced 288
 binary 78
 balanced 564
 balanced, pebbling 465
 complete balanced 463 464
 longest path length 560 565
 number of unlabeled 78
 search 564
 circuit 78
 combiners 406
 controllers 406
 decision 489
 multiway 561
 decomposition of 397
 fan-in 394
 H-tree 581(*), 583(*)
 mesh of 319 599
 PRAM simulation 313(*)
 program 491
 properties 397
 rooted tree fan-in properties 394
 separator theorem for 397
 spanning 589
 BFS 591
 unbalanced 288
- triangles,**
 clause 359
 variable 359
- triangular,**
 matrices 240
 inversion of 255(*)
 planar graph 590
- truth table** 12
- Tsitsiklis, J. N.** 323 607
- TSP (Traveling Salesperson Problem),**
 NP problem 121
 NP-complete association with 5
 optimization problem, TSP as special case of 336
 problem 335
- Tukey, J. W.** 279 608
- tuple,**
 power set use 8
- Turán, Gy.** 602 603 620
- Turing, A. M.** 118 152 236 389 620
- Turing, Alan,**
 founder of theoretical computer science 4
- Turing machine (TM)** 4 20 118(*), 119
 as serial computational model 331
 canonical encoding 221
 circuit,
 complexity relationship to 5
 simulations of 124(*), 129
 circuit simulation 134(*)
 computational inequalities 127(*), 134
 computations, reductions to circuit
 computations 128(*)
 configurations 218
 deterministic, *See* DTM
 FSM relationship 217
 functions computed by 230(*)
 log-space, composition of 351
 lower bounds 128
 multi-tape 332(*)
 simulation 214
 single-tape simulation of 213
 nondeterministic, *See* NDTM
 oracle, *See* OTM
 PDA relationship 217
 phrase-structure languages and 219(*)
 precise 334
 programming 211
 RAM,
 relationship to 124
 simulation by 122
 space 333
 standard 210(*)
 extensions to 213(*)
 string encoding and 222(*)

Turing machine (TM) (cont.)

- tape 149
- double-ended 213
- multi 119 213(*)
- one-tape 118
- unit, RAM simulation 122
- time 333
- transition functions 212
- uniform circuit equivalence 374(*)
- universal 121(*), 124 220 221
- Turing reduction** 348 385
- two's complement**,
- signed 61
- two-cost planar separator theorem** 600
- two-level memory management**
- algorithms 568(*)

U

- Uhr, L.** 613
- Ullman, J. D.** 236 278 279 389 601 602 605
611 620
- unary encoding** 383
- unbounded**,
- memory, RAM 111
- undecidable languages** 228 229
- Rice's Theorem 230
- undirected graph** 10
- union**,
- CFL closed under 198
- NFSM 164
- sets 7
- unique elements** 514
- space time lower bounds 516
- unit**,
- control 20
- tape 20
- unity**,
- roots of, in commutative rings 264
- universal**,
- quantification 365
- RAM 114
- TM 124
- Turing machine 220(*), 221
- universality**,
- of the RAM 114(*)
- of the TM 121(*)
- unsatisfiability language** 328
- unshuffle permutations** 304
- on linear arrays 304(*)

unsolvable,

- classifying languages as 227
- languages 223
- problems 227(*)
- empty set acceptance 229
- empty tape acceptance 228
- halting 227
- regular machine recognition 229
- Rice's Theorem 230
- self-terminating machine 230
- reducibility and 226(*)
- task 210

Upfal, E. 323 528 607 612 620**upper bound**,

- circuit size, for all Boolean functions 82
- depth, for all Boolean functions 80
- HMM 567(*)
- simple RAM CPU 146
- space 483(*)
- upper triangular**,
- matrix 240

V

- Valiant, L. G.** 191 207 323 389 455 456 457
458 485 523 526 527 611 616 619
620 621
- validity problem** 347
- value**,
- circuit, problem 40
- jump, for space 483
- variables 474
- van Emde Boas, P.** 388 390 526 621
- van Leeuwen, J.** 526 607 611 612 614 621
- Van Voorhis, C. C.** 457 621
- Vandermonde matrix** 265
- variable(s)**,
- Boolean 11
- control 144 474
- dependent 399
- instruction 143
- timing 143
- triangles 359
- value 474
- vector**,
- conditional vector operations 286
- matrix multiplication, on an H-tree 582(*)
- matrix product**,
- Borodin-Cook lower-bound method
- application 507(*)
- DFT 513

- vector (cont.)**
- matrix product (cont.)**
 - distinguishability properties 508
 - space-I/O time tradeoffs 539(*)
 - space-time lower bound 508
 - matrix-vector product 241
 - operation 48
 - resource 534
- Venkateswaran, H.**528 621
- verification,**
languages 121
- vertex,**
input 10
output 10
root 489
sink 489
- vertex-disjoint**485
paths, monotone circuits 415
- virtual memory-management systems**567
- Vishkin, U.**323 390 615 619 621
- Vitter, J. S.**528 563 573 605 615 618 621
- VLSI (very large-scale integration),**
algorithms,
performance of 592(*)
performance of, on functions 593(*)
performance of, on predicates 595(*)
area-time tradeoffs 586(*)
brief history 6
CCC network layout 584(*)
chip,
area 578
area, bounds 597(*)
fabrication of 576(*)
chip layouts 28 581(*)
H-tree 581(*)
multi-dimensional mesh 583(*)
computational inequalities 587(*)
design challenges and issues 576(*)
chip fabrication 576(*)
design 577(*)
layout 577(*)
machine, as example of parallel machine 27
- models,
(chapter) 575(*)
computational 579(*)
physical 578(*)
performance criteria 580(*)
planar circuit size 586(*)
- von Eicken, T.**323 609
- von zur Gathen, J.**279 610
- Vuillemin, J. E.**323 527 601 602 606 614 617 621
- W**
- Wallace, C. S.**88 456 621
- walk**10
- Wegener, I.**89 455 457 458 621
- Weiss, J.**457 621
- Welch, L. R.**455 611
- when-oblivious**580
- where-oblivious**580
- Wicks, J. R.**621
- Wigderson, A.**323 458 528 607 612 617 620
- Wijshoff, H. A. G.**323 612
- Wilber, R.**528 621
- Winograd, S.**245 278 279 608 621
- wires,**
VLSI chip 578
- Wloka, M.**621
- work,**
computational, on FSM 96
- worst-case tradeoffs,**
pebble game 483(*)
- wrapped convolution**276 473(*)
space-time lower bound 474 505
- Wyllie, J.**323 390 609
- Y**
- Yamada, H.**207 615
- Yannakakis, M.**602 605
- Yao, A. C.-C.**458 459 528 602 603 621 622
- Yen, D. W. L.**602 613
- Yesha, Y.**528 622
- yield,**
parse tree 186
VLSI chip 578
- Younger, D. H.**207 622
- Z**
- Z3**4
- zero,**
function 231
matrix 240
zero-one principle 271
- Zhou, D.**601 622
- Zorat, A.**602 612
- Zwick, U.**455 456 616 622